## Five-Year Review Report

## **Second Five-Year Review Report**

for

E. H. Schilling Landfill

Hamilton Township Lawrence County, Ohio

September 2002

PREPARED BY:

United States Environmental Protection Agency Region 5 Chicago, Illinois

Approved by:

William E. Muno, Director

Superfund Division

U.S. EPA

Date:

9/20/02

# Five-Year Review Report

# **Table of Contents**

List	of Acronyms E-
Exec	utive Summary
Five-	Year Review Summary Form E-4
I.	Introduction
II.	Site Chronology
III.	Background3
	Physical Characteristics 3
	Land and Resource Use
	History of Contamination4
	Initial Response
	Basis for Taking Action
IV.	Remedial Actions
	Record of Decision
	Remedy Implementation
	Consent Decree
	Remedial Design
	Remedial Action
	System Operation/Operation and Maintenance
V.	Progress Since the Last Five-Year Review
VI.	Five-Year Review Process
	Administrative Components
	Community Involvement
	Document Review
	Data Review
	Site Inspection

Techn	nical Assessment				
Quest	ion A: Is the remedy functioning as intended by the decision documents?17				
	ion B: Are the exposure assumptions, toxicity data, cleanup levels, and remedial				
	objectives (RAOs) used at the time of the remedy selection still valid? 18				
	ion C: Has any other information come to light that could call into question				
	otectiveness of the remedy?				
	ical Assessment Summary				
Issues	19				
Recon	nmendations and Follow-up Actions19				
Protec	tiveness Statement(s)				
Next Review					
;					
١.	10 Year Data Summary of Detected Constituents in Monitoring and Effluent Wells				
	Comparison of Detected Constituents in Wells Inside the Landfill to U.S. EPA				
_	Drinking Water Standards and Health Advisories - E.H. Schilling Landfill				
	Groundwater Data, August 1993 to April 2002, Ironton, Ohio				
3 -	Comparison of Detected Constituents in Wells Outside the Landfill to U.S. EPA				
	Drinking Water Standards and Health Advisories - E.H. Schilling Landfill				
	Groundwater Data, August 1993 to April 2002, Ironton, Ohio				
4 -	Comparison of Detected total Metals Data from the April 2002 Sampling event to				
	Current U.S. EPA Drinking Water Standards and health Advisories, E.H. Schilling				
	Landfill, Ironton, Ohio				
5 -	Comparison of Maximum Detected Constituents in Wells Inside the Landfill to April				
	2002 Maximum Detected Constituents in Wells Inside the Landfill - E.H. Schilling				
	Landfill Groundwater Data, August 1993 to April 2002, Ironton, Ohio				
<b>5</b> -	Comparison of Maximum Detected Constituents in Wells Outside the Landfill to				
	April 2002 Maximum Detected Constituents in Wells Outside the Landfill - E.H.				
	Schilling Landfill Groundwater Data, August 1993 to April 2002, Ironton, Ohio				
	Questa action Questa the pro Technic Issues Recom Protect Next F				

# Figures

Figure 1 - Site Location Map
Figure 2 - Site Layout Map
Figure 3 - Seep Sample Locations

#### Attachments

Attachment 1 - Documents Reviewed

Attachment 2 - Applicable or Relevant and Appropriate Requirement
Attachment 3 - Comparison of Detected Constituents in Seep and Surface Water Samples

## List of Acronyms

ARAR Applicable or Relevant and Appropriate Requirement

CD Consent Decree

CERCLA Comprehensive Environmental Response Compensation Liability Act

COI Constituent of Interest

MCL Maximum Contaminant Level
mg/kg Milligram Per Kilogram
NCP National Contingency Plan
NPL National Priorities List

OEPA Ohio Environmental Protection Agency

ppb Parts Per Billion ppm Parts Per Million

PRP Potentially Responsible Party
RD/RA Remedial Design/Remedial Action
RI/FS Remedial Investigation/Feasibility Study

ROD Record of Decision

RPM Remedial Project Manager SVOC Semi-Volatile Organic Chemical

TCL Target Compound List

U.S. EPA United States Environmental Protection Agency

VOC Volatile Organic Chemical

## **Executive Summary**

The remedy for the E. H. Schilling Landfill in Lawrence County, Ohio, included the following major components: 1) Dewatering and treating of approximately 7,000,000 gallons of leachate and liquid waste from within the landfill; 2) Construction of a 3-acre RCRA Subtitle C cap over approximately 100,000 cubic yards of waste; 3) Consolidation under the landfill cap of 500 cubic yards of sediment and 750 cubic yards of soil downgradient from the earthen dam; 4) Construction of a perimeter cut-off wall, consisting of a grout curtain for the bedrock and slurry wall for the unconsolidated zones; 5) Construction of a clay berm to obtain the required factor of safety of greater than 1.5 for long-term stability of the earthen dam; 6) Long-term maintenance, security and restrictions on future land use; and, 7) Quarterly monitoring of all monitoring wells. The site achieved construction completion with the signing of the Preliminary Closeout Report on August 3, 1993. The trigger action for this five-year review was the actual completion date of the last five-year review which was September 29, 1997.

The assessment of this five-year review has found the remedy to be protective of human health and the environment. Short term protectiveness has been achieved and exposures eliminated. Long-term protectiveness will be achieved when groundwater cleanup standards based on Safe Drinking Water Act MCLs, risk-based levels, and State of Ohio criteria for protection of groundwater quality are met, and by maintaining a deed restriction for the maintenance of a landfill cap to prevent unacceptable exposure.

# Five-Year Review Summary Form

		SITE IDE	NTIFICATION			
Site name (from WasteLAN): E.H. Schilling Landfill						
EPA ID (from WasteLAN): OHD980509947						
Region: 5						
		SITE	STATUS			
NPL status: X F	inal □ Deleted □	Other (specify)				
Remediation st	atus (choose all th	nat apply):	Inder Construction X Operating □ Complete			
Multiple OUs?	☐ YES X NO	Construction	on completion date: 08 /03 /1993			
Has site been p	ut into reuse?	YES X NO				
		REVIEV	N STATUS			
Lead agency: X	EPA □ State □	Tribe 🗆 Other	Federal Agency			
Author name: M	lazin M. Enwiya					
Author title: Ren	medial Project Ma	anager	Author affiliation: U.S. EPA			
Review period:	• 06 / 03 / 2002 to	09/6/02				
Date(s) of site in	nspection: 06/5/	2002				
Type of review:	Type of review:  X Post-SARA					
Review numb	per: 🗆 1 (first) 🗡	(2 (second)	3 (third) ☐ Other (specify)			
Triggering action:  Actual RA Onsite Construction at OU # Actual RA Start at OU# Construction Completion X Previous Five-Year Review Report  Other (specify)						
Triggering action	n date (from Wa	steLAN): 09 /	29 / 1997			
Due date (five years after triggering action date): 09 / 30 / 2002						

#### Five-Year Review Summary Form, cont'd.

#### **Issues:**

An optimization review of the extraction rates is warranted based on recent slow extraction rates. A review of original dam stability calculations and construction quality to address its integrity and erosion problem.

#### Recommendations and Follow-up Actions:

Complete optimization review of the leachate and groundwater extraction system. Retain a geotechnical engineer to review original dam stability calculations and construction quality. Conduct optional field activities to update relevant site information; this may include a survey, the installation of piezometers, and additional recovery tests.

#### **Protectiveness Statement(s):**

The assessment of this five-year review has found the remedy to be protective of human health and the environment. Short term protectiveness has been achieved and exposures eliminated. Long-term protectiveness will be achieved when groundwater cleanup standards based on Safe Drinking Water Act MCLs, risk-based levels, and State of Ohio criteria for protection of groundwater quality are met, and by maintaining a deed restriction for the maintenance of a landfill cap to prevent unacceptable exposure.

#### Other Comments:

None

### **Five-Year Review Report**

#### I. Introduction

The purpose of five-year reviews is to determine whether the remedy at a site is protective of human health and the environment. The methods, findings, and conclusions of reviews are documented in Five-Year Review reports. In addition, Five-Year Review reports identify issues found during the review, if any, and recommendations to address them.

The Agency is preparing this five-year review pursuant to CERCLA §121 and the National Contingency Plan (NCP). CERCLA §121 states:

If the President selects a remedial action that results in any hazardous substances, pollutants, or contaminants remaining at the site, the President shall review such remedial action no less often than each five years after the initiation of such remedial action to assure that human health and the environment are being protected by the remedial action being implemented. In addition, if upon such review it is the judgment of the President that action is appropriate at such site in accordance with section [104] or [106], the President shall take or require such action. The President shall report to the Congress a list of facilities for which such review is required, the results of all such reviews, and any actions taken as a result of such reviews.

The agency interpreted this requirement further in the National Contingency Plan (NCP); 40 CFR §300.430(f)(4)(ii) states:

If a remedial action is selected that results in hazardous substances, pollutants, or contaminants remaining at the site above levels that allow for unlimited use and unrestricted exposure, the lead agency shall review such action no less often than every five years after the initiation of the selected remedial action.

The United States Environmental Protection Agency (U.S. EPA) Region 5 has conducted a five-year review of the remedial actions implemented at the E. H. Schilling Landfill site, located in Lawrence County, Ohio. This review was conducted by the Remedial Project Manager (RPM) from June 2002 through September 2002. This report documents the results of the review.

This is the second five-year review for the E. H. Schilling Landfill site. The triggering action for this statutory review is the date of the first five-year review as shown in EPA's WasteLAN database: 09/29/1997. This review is required because certain response actions are ongoing and hazardous substances, pollutants, or contaminants are or will be left on site above levels that allow for unlimited use and unrestricted exposure.

# II. Site Chronology

# **Chronology of Site Events**

Event	Date		
Landfill Lifetime	1969-1980		
State of Ohio Preliminary Studies	1979		
NPL listing	09/1983		
U.S. EPA Removal actions	05/31/1986		
Administrative Order on Consent signed	03/31/1987		
Fund-lead Remedial Investigation/Feasibility study complete	06/22/1987		
RI report completed	08/1/1989		
FS report completed	08/25/1989		
ROD signed	09/29/1989		
Settlement reached between four of six PRPs	04/1990		
Consent Decree for RD/RA	05/31/1991		
Explanation of significant differences	02/28/1992		
Remedial design completion	04/17/1992		
Construction contract awarded	06/09/1992		
Remedial construction begins	06/17/1992		
Pre-final inspection	06/30/1993		
Construction completion date	08/03/1993		
Extraction system operational	08/3/1993		
Quarterly sampling changed to semi-annually	04/1996		
Previous five-year review	09/29/1997		
Site inspection	06/5/2002		

#### III. Background

#### **Physical Characteristics**

The E.H. Schilling site is located in Hamilton Township, Lawrence County, Ohio, approximately four miles southwest of the City of Ironton. It is situated in a valley draw incised into the west slope of a ridge separating Winkler Hollow (west of site) from Schilling Hollow (east of site), 0.8 miles north of the Ohio River, and approximately 0.5 miles north of U.S. Route 52. Vegetation over the landfill consists of poor quality grass and shrubs. The adjacent valley sides are heavily wooded. A tributary of Winkler Run extends from the base of the earthen dam along the valley floor to Winkler Run. The site has rugged topography with high relief. Slopes in the area generally steep with narrow ridge tops. It is estimated that 23,000 persons live within a four mile radius of the site.

#### Land and Resource Use

The E.H. Schilling landfill site was operated during the period of 1969-1980. It was created by filling the valley draw with waste, and then constructing a steeply sloping earthen dam, some forty five feet high, in a north-south orientation across the draw to contain the waste. The earthen dam is about sixteen feet wide along the crest.

The current land use of the surrounding area consists of a few residential properties located to the north and east of the site. The Wayne National Forest extends north-south about 400 feet east of the site. The site itself is currently fenced enclosing all soils that have undergone, or are currently undergoing, treatment, on-site. In establishing cleanup requirements for the site, U.S. EPA considered the theoretical possibility of residential development of the site.

Bedrock in the area belongs to the Allegheny and Pottsville formations. The bedrock strata reportedly dip eastward at approximately twenty to sixty feet per mile. Three water-bearing zones can be distinguished beneath the site: 1) An uppermost water-bearing zone occurs within the landfill and surrounding soil and bedrock. Flow in this zone from the landfill is primarily westward, towards the embankment; 2) A shallow bedrock water-bearing zone exists within the interbedded sandstone and shale strata. The water-bearing zone is perched on shale strata in the vicinity of the site. Topography and the structural dip of the strata in the vicinity of the site primarily control the groundwater flow direction for the shallow bedrock water-bearing zone; 3) A deeper water-bearing zone occurs in sandstone bedrock. The general groundwater flow direction for this deeper bedrock water-bearing zone is expected to be eastward, based on dip control. Fracture features will also influence flow.

#### **History of Contamination**

The landfill was operated by E.H. Schilling and Son, General Contractors, Inc. The landfill began receiving waste in January 1969. It was developed largely as an exclusive landfill for the Dow Chemical plant in Hanging rock and the USS Chemical (Aristech) plant in Haverhill. In August 1971, the landfill was licensed by Lawrence County to accept non-hazardous dry industrial waste. Records indicate that Aristech Chemical Corporation, the Dow Chemical Company, Ashland Chemical Corporation, Associated Metals & Minerals, Inc. and Matlack, Inc. deposited hazardous waste at the landfill. During its operation, the landfill accepted a wide variety of hazardous industrial and non-hazardous wastes. The waste consisted of Styrene monomer, Phenol, Acetone, Alcohol, Wastewater treatment sludge, Coal Tar compounds, Polystyrene, Foam material. Following a series of permit violations, the site ceased operations in July 1980.

Groundwater sampling from extraction wells and monitoring wells was conducted beginning with the fourth quarter (August) of 1993 and is ongoing (most recent sampling round was completed in April 2002). Sampling was conducted quarterly from 1993 through 1996 and semi-annually since then. Analysis of the samples includes volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), total metals, and pesticides.

The extent of contamination at the site is limited to the landfill and the area immediately surrounding it. Groundwater data shows that contamination at the site is limited to monitoring wells immediately surrounding the landfill and monitoring wells downhill of the landfill dam.

For wells installed inside the landfill, there are 15 parameters whose maximum concentrations from all data collected to date have shown an exceedance at one point from 1993 until 2002. Table 2 also shows a comparison of these maximum concentrations. All of the exceedances, with the exception of benzo(a)pyrene and total lead, were collected from sampling events prior to the third quarter 1996.

#### **Initial Response**

The landfill was operated by E.H. Schilling and Son, General Contractors, Inc. The landfill began receiving waste in January 1969. Following a series of permit violations, the site ceased operations in July 1980.

In September 1983, the site was placed on the National Priorities List. The final Remedial Investigation/Feasibility Study (RI/FS) reports were released in August 1989. The U.S. EPA issued a Proposed Plan for remedial action in April 1992. The RI/FS was subsequently began in June 1992.

#### **Basis for Taking Action**

The U.S. EPA and OEPA involvement dates back to 1979 when preliminary site studies and limited data collection was conducted. In 1983, an OEPA letter identified a number of listed hazardous materials as being present in samples collected at the base of the earthen dam. These samples were taken from soil, leachate, and surface water. At that time, active leachate seeps were noted at several points along the base of the earthen dam.

During the RI event, two sampling rounds were conducted. The first round of sampling was conducted in the Spring of 1988 for landfill waste, leachate, surface soils, surface water, sediment, benthic organisms, and ground water. A second round of sampling was performed in Mid-December of 1988 for ground water, leachate, and surface water.

The results of the RI revealed the following analytical results by media type in the vicinity of the landfill:

Surface Soils

A total of 35 surface soil samples were collected and analyzed for TCL chemicals. The analysis detected the presence of total of three VOCs, SVOCs, seven metals, and cyanide. The extent of contamination of surface soils on the landfill and dam primarily consists of those areas which are exposed to landfill leachate. Contamination of surface soils outside of the immediate landfill area is primarily limited to metals, which occur naturally in this region.

#### Sediments

Stream sediment samples were collected at six sample locations. The analysis of the sediment samples for TCL chemicals detected the presence of VOCs, SVOCs and metals. This analysis revealed that the extent of the contaminated sediments is limited to the mid to upper reaches of Winkler Run.

Surface Water

A total of six surface water samples were collected and analyzed for TCL chemicals. Test results detected the presence of metals.

#### Ground Water

Ground water samples were collected from the eight monitoring well clusters at the site. The ground water samples were analyzed for TCL chemicals. Analysis of the ground water samples detected the presence of VOCs, SVOCs, and dissolved metals.

Air

Site-specific air quality data were collected and analyzed for total suspended particulates, heavy metals, and VOCs. Test results detected the presence of twenty metals. No VOCs were detected in the air samples collected.

#### Baseline Risk Assessment

The baseline risk assessment for the site evaluated the site specific physical and analytical data in characterizing potential risks to human health and the environment in the absence of any remedial action at the site.

Twenty-nine complete human receptor and thirty-seven complete environmental receptor exposures pathways exist at the site based on ten indicator chemicals.

#### IV. Remedial Actions

#### **Record of Decision**

On September 29, 1989, the U.S. EPA signed the Record of Decision (ROD) that called for the following actions:

- Dewatering and treating of approximately 7,000,000 gallons of leachate and liquid waste from within the landfill. The on-site treatment system consists of metals precipitation using sulfide, air stripping and carbon adsorption.
- Construction of a 3-acre RCRA Subtitle C cap over approximately 100,000 cubic yards of waste.
- Consolidation under the landfill cap of 500 cubic yards of sediment and 750 cubic yards of soil downgradient from the earthen dam.
- Construction of a perimeter cut-off wall, consisting of a grout curtain for the bedrock and slurry wall for the unconsolidated zones. The cut-off wall will prevent lateral infiltration of groundwater into the landfill.
- Construction of a clay berm to obtain the required factor of safety of greater than 1.5 for long-term stability of the earthen dam.
- Long-term maintenance, security and restrictions on future land use. In this case a deed restriction is required as long as the landfill cap is necessary to prevent

unacceptable exposure. Furthermore, the deed restrictions for the site dictate that:
1) There shall be no tampering with, or removal of, the containment or monitoring systems that remain on the site as a result of implementation of remedial action under the consent Decree; and, 2) There shall be no other interference with the performance of work and remedial action, or with the maintenance of remedial measures implemented pursuant to the Consent Decree.

- Treat and discharge water under the National Pollution Discharge Elimination System (NPDES) effluent limitations.
- Quarterly monitoring of all monitoring wells. If groundwater exceeds action based levels, it will be collected and treated in the on-site treatment system.
- Cleanup levels are to correspond to the elimination of all cumulative carcinogenic risks greater than 1x10<sup>-6</sup> and a remaining cumulative non-carcinogenic hazard index of less than or equal to 1.

The selected remedy would use permanent treatment systems to eliminate the principal threat posed to human health and the environment by extracting the leachate and treating the contaminated groundwater.

The Record of Decision established groundwater cleanup standards based on Safe Drinking Water Act Maximum Contaminant Levels (MCLs), risk-based levels, and State of Ohio criteria for protection of groundwater quality.

#### **Consent Decree**

In November 1989, negotiations between the U.S. EPA and the responsible parties began for the Remedial Design/Remedial Action (RD/RA). A Consent Decree settlement was reached in April 1990, between four of the six responsible parties and the U.S. EPA. The CD was subsequently entered with the United States District Court for the Southern District of Ohio on May 31, 1991, for the ultimate implementation of the ROD.

#### Remedial Design

The Remedial Design and subsequent construction of the on-site leachate collection and treatment system was completed in June 30, 1993. At the beginning of the Remedial Design, a treatability study was completed on the landfill leachate to finalize treatment system design requirements. Results from the treatability study indicated that a significant change to the leachate and liquid waste treatment train would be required. The air stripper would not be as effective as originally expected in meeting the performance/cleanup standards and would be replaced with a biological treatment system using sequencing batch reactors (SBRs). Also, the treatability study showed that sodium hydroxide would be more favorable than sulfide as the

reagent used to precipitate metals form the leachate/liquid waste. These two significant changes were executed in an Explanation of Significant Differences, dated February 28, 1992. The treatment train for the leachate/liquid waste consists of metal precipitation, two SBRs in parallel, sand filtration, and carbon adsorption. The designs were completed by the PRPs and approved by the U.S. EPA in April 17, 1992.

#### Remedial Action

#### **Remedy Implementation**

A construction contract was awarded by the responsible parties on June 9, 1992, and onsite remedial activities began on June 17, 1992. The United States Army Corps of Engineers (USACE) was used by the agency for oversight of the construction activities by the responsible parties. The responsible parties also used the remedial design firm to ensure the contract specifications were adhered to by the construction firm.

During the Remedial Action activities, three major changes occurred: 1) At the start of the construction in preparation for the grout curtain/slurry wall, an area outside the landfill limits was discovered which contained degraded drums and contaminated soil. Approximately 5,000 cubic yards of the newly discovered contaminated soil was excavated along with clean surrounding soil and used as fill material to bring the landfill up to grade. The perimeter cut-off wall and landfill cap were extended to near the newly excavated area; 2) Pursuant to the ROD, an area estimated to be approximately 1,300 cubic yards of soil and sediment downgradient from the earthen dam was scheduled to be excavated and consolidated under the landfill cap. After soil and sediment analysis, the volume consolidated increased to 3,070 cubic yards; 3) During the perimeter cut-off wall installation, rock elevation was higher than anticipated which decreased by one-half the length of the slurry wall through the unconsolidated zones surrounding the landfill. In addition, over 3,100 cubic yards of grout was pumped into the bedrock fractures under and surrounding the landfill which was over five times the estimated amount.

For the contaminated groundwater and leachate extraction and treatment system, the PRPs installed a total of four extraction wells (EW-1 through EW-4). A treatment plant was constructed on-site, where the extracted groundwater and leachate is treated prior to discharge to an adjacent creek in accordance with NPDES discharge requirements. The ROD estimated that the groundwater extraction and treatment system would need to operate for a period of 30 years. A final inspection of the groundwater extraction and treatment system was conducted by the U.S. EPA on August 3, 1993. At that time it was determined that the groundwater and leachate extraction and treatment system was constructed as designed. The system began operation on August 3, 1993.

In August 1993, with the signing of the Preliminary Close Out Report, the U.S. EPA determined that the site achieved construction completion status. The U.S. EPA and the State have determined that all RA construction activities were performed according to specifications. After groundwater and soil cleanup levels have been met, the U.S. EPA will issue a Final Close Out Report. This will require that all areas of the site with contamination be verified as clean through soil sampling.

#### System Operation/Operation and Maintenance

#### Groundwater Extraction/Treatment

Operation and Maintenance of the Groundwater Extraction and Treatment System is performed by the PRPs in accordance with the Leachate Treatment System Operation and Maintenance Plan. Pursuant to that manual, the effluent from the treatment system is monitored on a monthly and semi-annually basis. Inspections of the physical plant are also carried out during those monitoring events.

Groundwater monitoring has been performed pursuant to the details outlined in the Groundwater Monitoring Plan to ensure hydraulic capture and removal of leachate is occurring and that chemical levels in the groundwater are decreasing. Analyses being performed include the chemicals of concern listed in the ROD and CD and those parameters required under the NPDES discharge requirements issued by the OEPA. The U.S. EPA, in consultation with the OEPA, will certify completion of the groundwater remediation once it has been demonstrated that cleanup levels have been attained and maintained for all chemicals of concern listed in the ROD and CD.

Based upon operating flow data, as of June 2002, the groundwater and leachate collection and treatment system has treated approximately 2.3 million gallons of contaminated water.

Since the fourth quarter 1993, the monitoring network of wells has been sampled quarterly through 1996, and semi-annually since then. The network has included 4 extraction wells and 10 monitoring wells within the landfill area, and 6 monitoring wells outside of the landfill area.

#### V. Progress Since the Last Review

The September 29, 1997, Five-Year Review recommended that the PRP group continue operations as designed until final groundwater cleanup standards, as set forth in the ROD and CD, are achieved. Since that first five year review, the PRP group has continued to operate the system as required by the ROD and CD.

#### VI. Five-Year Review Process

#### **Administrative Components**

The PRPs were notified of the initiation of the five-year review on April 1, 2002. The Hamilton Township Five-Year Review was led by Mazin Enwiya of the U.S. EPA, Remedial Project Manager for the E. H. Schilling Landfill. Kris Vanecko, of the OEPA, assisted in the review as the representative for the support agency.

The review, which began on June, 2002 consisted of the following components:

- Document Review;
- Data Review;
- Site Inspection; and,
- Five-Year Review Report Development and Review.

#### **Community Involvement**

The RI/FS reports and the proposed plan for the site were released on August 25, 1989, for a 30-day public comment period. A notice of availability of the these documents was issued in the local newspaper, in the Town of Ironton, Ohio. A public meeting was conducted by U.S. EPA and OEPA on September 7, 1989.

Interest in the project over the past 5 years has been minimal. This may be in part to the site being located in an area that is not heavily populated, and not being visible to individuals driving by.

A notice to the community regarding the 5-Year Review was issued to the community in September 2002.

#### **Document Review**

This five-year review consisted of a review of relevant documents including O&M records and monitoring data (See Attachment 1).

Data Review

Groundwater monitoring has been occurring at this site since November 1993. The July 25, August 8, August 16, and August 29, 2002, E.H. Schilling Landfill 5-Year

Review, were the last comprehensive reports that were reviewed as part of this 5-Year Review. The reports include the most recent results from the site groundwater monitoring wells along with groundwater elevation data. In addition, surface water and landfill seep samples were collected and analyzed for VOCs, SVOCs, total metals, dissolved metals, total dissolved solids, and a list of major cations and anions.

Sampling was conducted quarterly from 1993 through 1996 and semi-annually since then. Analysis of the samples includes volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), total metals, and pesticides. Table 1 includes all of the groundwater data collected to date. Blank cells in this table represent non-detect values. Note that some of the data shown in Table 1 are qualified with "J" values. The laboratory uses the "J" qualifier when reporting values to the method detection limit to indicate values that are between the reporting limit and the method detection limit. "J" values are therefore considered a laboratory estimate. For this analysis "J" values were considered as actual values.

Table 2 shows maximum concentrations for each constituent of interest (COI) from the wells that are located inside the landfill and Table 3 shows maximum concentrations for each COI from wells that are located outside the landfill. Also shown on these tables is a comparison of these maximum values to applicable U.S. EPA Drinking Water Standards (MCLs) and Health Advisories.

In evaluating the metals data in Table 1, it should be noted that all metals data collected during the annual groundwater sampling (1993 to the present) have been analyzed for total metals, as specified by the U.S. EPA. Dissolved metals data have apparently never been collected. As a result, interference from turbidity and suspended solids has likely influenced the data, making interpretation of the data difficult. However, for the purposes of this analysis, total metals data for the most recent sampling event (April 2002) were compared to the U.S. EPA drinking water standards in Table 4. The results of this comparison are discussed in the following sections.

#### Wells Located Inside the Landfill

Table 2 shows the maximum detected concentrations for each parameter from all the data collected to date from all the wells located inside the landfill. Table 2 also shows a comparison of these maximum concentrations to relevant the U.S. EPA criteria. As shown on this table, there are 15 parameters whose maximum concentrations from all data collected to date have shown an exceedance at one point from 1993 until 2002. These 15 parameters are:

- 1.1.2.2-Tetrachloroethane
- Trichloroethene

- 1,2-Dichloroethane
- Benzene
- Bromomethane
- Chloroform
- Chloromethane
- Ethylbenzene
- Methlylene chloride
- Benzo(a)pyrene
- Total beryllium
- Total cadmium
- Total chromium
- Total lead
- Total nickel

All of the exceedances, with the exception of benzo(a)pyrene and total lead, were collected from sampling events prior to the third quarter 1996. The maximum detected concentration for benzo(a)pyrene was detected in 2000 and total lead in 2002. Note that the maximum detected concentration for benzo(a)pyrene is 0.099 mg/L, which is greater than the solubility limit (0.0038 mg/L) for benzo(a)pyrene. Therefore, this value can be attributed to suspended solids in the sample. Table 5 shows a comparison of these 15 exceedances to the most recent groundwater data (April 2002). This comparison of the most recent site data indicates that there are currently seven parameters that exceed the U.S. EPA criteria. These parameters include:

- 1,2-Dichloroethene
- Benzene
- Ethylbenzene
- Methylene Chloride
- Benzo(a)pyrene
- Total lead
- Total nickel

As shown on Table 5, in all cases except for total lead, the concentrations have dropped significantly since the maximum values were detected. Again note the concentration for benzo(a)pyrene (0.019J mg/L) is greater than the solubility limit of 0.0038 mg/L as discussed above. Current concentrations for these five organic parameters range from 1.2 to 7.5 times their associated the U.S. EPA criteria (see Table 5, range excludes benzo(a)pyrene data). Current concentrations for the two total metals range from 2.06 to 14.6 times their associated the U.S. EPA criteria.

#### Wells Located Outside the Landfill

Table 3 shows the maximum detected concentrations for each parameter from all the data collected to date from all the wells located outside the landfill. Table 3 also shows a comparison of these maximum concentrations to relevant the U.S. EPA criteria. As shown on this table, there are 16 parameters, whose maximum concentrations from all data collected to data have shown an exceedance at one point from 1993 until 2002. These 16 parameters are:

- 1,1,2,2-Tetrachloroethane
- 1,2-Dichloroethane
- Benzene
- Carbon Tetrachloride
- Chloromethane
- Ethlybenzene
- Methylene chloride
- Benzo(a)pyrene
- Total antimony
- Total arsenic
- Total beryllium
- Total cadmium
- Total chromium
- Total copper
- Total lead
- Total nickel

All of the exceedances, with the exception of methylene chloride, were collected from sampling events prior to the second sampling event in 1998. The methylene chloride exceedence was collected in the 2000 sampling event. Table 6 shows a comparison of these 16 exceedances to the most recent groundwater data (April 2002). This comparison of the most recent data indicates that there are currently four parameters that exceed the U.S. EPA criteria. These parameters include:

- Methylene Chloride
- Total chromium
- Total lead
- Total nickel

As shown on Table 6, in all cases the concentrations have dropped significantly since the maximum values were detected. The current concentration for methylene chloride is 1.92 times its associated the U.S. EPA criteria. Current concentrations for the three total metals range from 3.55 to 16.1 times their associated criteria.

In addition to comparing maximum detected concentrations to the U.S. EPA standards, total VOCs and total SVOCs data for each well were plotted to evaluate any trends over time. VOCs and SVOCs data were totaled due to the large number of parameters that are analyzed for each sampling event and also due to the large number of non-detect values in the data (see Table 1). Non-detect values were considered zero for totaling purposes. For this analysis wells were divided into eight categories as follows:

- Extraction wells located inside the landfill
- Extraction well located outside the landfill
- Shallow topographically upgradient monitoring wells located outside the landfill
- Deep topographically upgradient monitoring wells located outside the landfill
- Shallow topographically downgradient monitoring wells located outside the landfill
- Deep topographically downgradient monitoring wells located outside the landfill
- Shallow monitoring well located inside the landfill
- Deep monitoring well located inside the landfill

Graphs of total VOCs and SVOCs data are included in Attachment A. Well locations are shown on Figure 2. The following sections discuss the results of this analysis.

It should be noted that total metals data were not plotted over time. Significant trends in total metals data are difficult to determine due to interference factors such as turbidity and suspended solids. It should also be noted that without dissolved metals data it is difficult to determine the potential migrations of metals in groundwater from one area of the landfill to another. The previously referenced Table 4 provides an analysis of current total metals data.

#### Extraction Wells Inside Schilling Landfill

Extraction wells EW-1, EW-2, and EW-3 are located inside the landfill. Graphs of total VOCs and total SVOCs concentrations over time are scattered but have been stabilizing and decreasing in recent years. In the case of total SVOCs, data from EW-1 and EW-2 have decreased to less than 1 mg/L since 1998. Current (April 2002) total metals data indicate that total nickel concentrations in EW-1 and total lead and total nickel concentrations in EW-3 are above the relevant the U.S. EPA criteria.

#### Extraction Well Outside the Landfill

Extraction well EW-4 is located outside and topographically downgradient of the landfill. Except for one early sampling event (September 1994), total VOCs concentrations are consistently below 0.015 mg/L, and have been below 0.1 mg/L since October 2000.

Total SVOCs data remain stable at or below 0.05 mg/L since May 1996. Current total metals data indicate that there are no exceedances in EW-4 of relevant the U.S. EPA criteria.

Shallow Topographically Upgradient Monitoring Wells Outside Schilling Landfill

Monitoring wells MW-1A, MW-2A, MW-3A, MW-4A, and MW-5A are shallow wells located outside and topographically upgradient of the landfill. Total VOCs and SVOCs data have stabilized at or near non-detect since 1996. Current total metals data indicate that total chromium and total lead concentrations in MW-3A are above relevant the U.S. EPA criteria.

MW-5A was not sampled after February 1996, when a landslide disabled the well. In addition MW-1A and MW-2A were never sampled because they were reportedly dry from the beginning of the sampling events.

Deep Topographically Upgradient Monitoring Wells Outside Schilling Landfill

MW-1B, MW-2B, MW-3B, MW-4B, and MW-5B are deep wells located outside and topographically upgradient of the landfill. Total VOCs data for these wells are very scattered and do not show any significant trends (increasing or decreasing) over time. Total VOCs data for these wells remain mostly below 0.05 mg/L. Total SVOCs data for these wells are show similar results, however remain mostly below 0.005 mg/L. Current total metals data indicate that there are no exceedances of relevant the U.S. EPA criteria in any of these wells.

Data for MW-1B were collected until May 1994, after which the well went dry. MW-5B was inoperable after February 1996 due to a landslide. Monitoring well MW-3B was never sampled because it was reportedly dry from the beginning of the sampling events.

Shallow Topographically Downgradient Monitoring Outside Schilling Landfill

MW-6A and 7A are shallow monitoring wells located topographically downgradient and outside of the landfill. Total VOCs concentrations have remained stable and very near non-detect until recent years where an increase in the concentrations appears. This spike is mainly influenced by carbon disulfide concentrations, which have increased in recent years. Spikes in carbon disulfide data have previously been attributed to laboratory error, which may be the case in these recent results. Total SVOCs data show no significant trends and except for three sampling rounds are below 0.01 mg/L. Current total metals data indicate that total chromium, total lead, and total nickel concentrations in MW-6A are above relevant the U.S. EPA criteria. Data from MW-7A were collected until May 1994 after which the

well was reportedly dry.

### Deep Topographically Downgradient Monitoring Wells Outside Schilling Landfill

MW-6B and MW-7B are deep monitoring wells located topographically downgradient and outside of the landfill. With the exception of two outlying data points in 1996, total VOCs concentrations have remained stable at or near non-detect concentrations. Total SVOCs data exhibit a similar trend with some outlying data points at the beginning of the sampling and then stable conditions near zero. Current total metals data indicate that total chromium, total lead, and total nickel concentrations in MW-6B are above the relevant U.S. EPA criteria.

#### Shallow Monitoring Well Inside Schilling Landfill

Shallow monitoring well MW-8A is located inside the landfill. Data for this well were not collected after 1994 because the well reportedly went dry at that time. There were no VOCs ever detected in this well. Total SVOCs data for this well are limited to data from four rounds and show no trends.

#### Deep Monitoring Well Inside Schilling Landfill

Deep well MW-8B is located inside the landfill. Data from this well have never been collected because the well was reportedly dry from the beginning of sampling.

#### NPDES History

Water treated and discharged at the landfill since 1993 has been regulated under the draft NPDES. Samples of effluent are collected prior to discharge and analyzed for VOCs, SVOCs, pesticides/PCBs, total metals, free cyanide, ammonia nitrogen, pH, TSS, BOD, and oil and grease. Historically the discharge has been in compliance with the exception of one exceedance recorded in March 1993, for oil and grease. As a result of this exceedance carbon filter units were changed out and no problems have been encountered since. Discussed below is the volume of water extracted to date and the volume of water treated and discharged to date.

#### Volume of Water Extracted to Date

Total volume of water extracted to date is as follows:

- 1993-285,033 gallons (note that no extraction volumes were recorded in 1993. Total gallons discharged in 1993 is used)
- 1994-396,907 gallons (extraction volumes only recorded starting in May 1994. Total gallons discharged in 1994 is used)
- 1995-452,938 gallons
- 1996-321,445 gallons
- 1997-252,195 gallons
- 1998-236,401 gallons
- 1999-156,612 gallons
- 2000-141,692 gallons
- 2001-125,290 gallons
- 2002-57,490 gallons (through June 2002)
- Total-2,426,255 gallons (through June 2002)

#### Volume of Water Treated and Discharged to Date

Water treated onsite is sampled prior to discharging to meet the NPDES limits. Volumes of water treated and discharged to date are as follows:

- 1993-285,033 gallons
- 1994-396,907 gallons
- 1995-429,428 gallons
- 1996-318,909 gallons
- 1997-249,988 gallons
- 1998-232,560 gallons
- 1999-153,564 gallons
- 2000-142,746 gallons
- 2001-91,684 gallons
- 2002-71,417 gallons (through June 2002)
- Total 2,372,236 gallons (through June 2002)

Due to a decrease in the leachate flow rate in recent years, water is being treated and discharged on an as needed basis (usually bi-monthly).

Note that the extracted volume (2,426,255 gallons) is slightly larger than the discharged volume (2,372,236 gallons). The discrepancy is due to the fact that a check valve in EW-4 diverts water back into the landfill if the equalization tank is full. This caused some extracted water to be re-extracted at a later time.

#### Seep Sampling

Seep sampling was conducted on July 2, 2002, as requested by the U.S. EPA and OEPA. Also as requested by the agencies, the samples were analyzed at a lower detection limit, as is done for the groundwater sampling. A total of five seep samples were collected and analyzed for VOCs, SVOCs, total metals, dissolved metals, and several anions and cations. Field measurements of pH, temperature, and conductance were also taken along with analytical samples. Laboratory results revealed a only one seep sample had exceedances of enforceable U.S. EPA criteria for total and dissolved beryllium and total and dissolved nickel.

#### 48-Hour Well Recovery Information

Water level data have been obtained from the four extraction wells on a monthly basis beginning in September 1994, through the present. Water levels in the extraction wells are measured after the well pumps have been shut down and the wells are allowed to recover for a 48-hour period. Attachment B contains a graph of extraction well water level drop over time. As shown on this figure the water level drop initially fluctuated but has stabilized in recent years, with the exception of EW-4. EW-4 has the greatest variance in water levels due primarily because it is outside the slurry wall and subject to seasonal variations and natural conditions. Additionally construction differences between EW-4 and the other extraction wells may cause some of the variance seen in EW-4.

Ground water level drops inside the landfill may be attributed to continuous pumping over the years, which has caused an initial dewatering of the water in the landfill. This initial dewatering should be followed by a somewhat steady state condition influenced slightly by seasonal variations in any potential upward seepage into the landfill. As shown on the graph water levels in recent years seem to be reaching that steady state condition with less of a drop from the previous year.

As part of the five-year review process, testing of the existing recovery wells is underway to assess fill saturation and to define the potential hydraulic interconnectivity of subsurface flow zones. The results of this study will be provided to the U.S. EPA and OEPA upon completion, as a separate deliverable. Because sealed caps were used to construct the monitoring wells, it is not possible to obtain water levels inside the landfill other then by using data from the extraction wells.

#### Qualitative Flow Path Study

On July 8, 2002 a qualitative flow path study was conducted on the landfill discharge and surface/seep drainage (Winkler Run) as it flows to the Ohio River. Figure 1 is a site

layout map showing the flow of Winkler Run as it flows toward and eventually discharges to the Ohio River. The flow path study consisted of walking the length of the stream to map any tributaries that enter the stream and to take surface water flow measurements at several locations along the stream. The results of the study concluded that the stream follows the path as shown on the topographical (topo) map shown in Figure 1. Tributaries entering the stream are accurate as marked on the topo map. The only discrepancy is in the large pond shown in Figure 1 across the street from the Ohio Church. This pond no longer exists and there is only a smaller pool of water that gathers on either side of the culverts.

Surface water leaving the site flows down to the end of Winkler Run Road where it joins with surface run-off from the other side of the hill. Here the flow travels under US Route 52 via a 7ft diameter culvert that emerges on the other side of US 52 immediately before the railroad tracks that run on the southern side of US Route 52. This water then runs down the hill where another large culvert carries the water under the railroad tracks to an adjacent cornfield. The stream meanders through this cornfield and passes under Old US Route 52 again via a culvert. Once it passes under this road, the stream meanders through the fields and several private properties as shown on Figure 1. The area around the stream is heavily overgrown with brush and trees. Most of the stream is inaccessible due to the overgrowth. Eventually the stream passes through the Dow Chemical property where is discharges to the Ohio River.

Stream conditions the day of the study were extremely dry. The only water encountered was small pools that gathered near culverts where the stream would pass under roadways. There was no continuous flow at any point in the stream. All tributaries entering the main stream were totally dry. Attachment C shows several pictures of these stream conditions. At the point where the stream meets the Ohio River, water from the Ohio River was flowing into the stream channel. Due to the dry conditions, no flow measurements were taken during the study.

#### **Site Inspection**

The inspection at the site was conducted on June 5, 2002. In attendance were the Mazin Enwiya, U.S. EPA; Linda Kern, U.S. EPA; Kris Vanecko, OEPA; Michael Sherron, OEPA; Scott McDougall, SMC/ARS Holdings; Andrzej Nazar, SMC; Matt Cairone, ARS Holdings; James Scherer, IMC; Jeremy Blevins, IMC. The purpose of the inspection was to assess the protectiveness of the remedy, including the presence of fencing to restrict access, the integrity of soil cover over the landfill, and general conditions of the site treatment systems.

The landfill cap over most of the site appeared to be in good condition and well vegetated. However, sparse vegetation was noted on the upper portion of the dam face. In addition, significant soil erosion was noted on the face of the dam. The erosion is most severe

near EW-4. In some of the areas of erosion, the liner appeared to be visible.

#### VII. Technical Assessment

#### Question A: Is the remedy functioning as intended by the decision documents?

The review of various documents, ARARs, risk assumptions, and the results of the site inspection indicates that the on-site equipment is functioning as intended by the ROD.

Operation and maintenance of the extraction system has been effective, despite a drop in groundwater levels and extraction levels from the three landfill extraction wells. The reduction in water levels in the landfill are attributed to the hydraulic barriers (RCRA cap, grout curtain and slurry wall) combined with nine years of groundwater extraction. The hydraulic barriers are believed to be the primary contributors to the water level decline in the landfill, while pumping from landfill wells EW-1, EW-2 and EW-3 are considered to be of lessor significance, considering the relatively low extraction rates.

Concentrations of chemicals found in extraction wells EW-1, EW-2, and EW-3 appear to be scattered but stabilizing and decreasing in recent years for total VOCs and total SVOCs concentrations. In the case of total SVOCs, data from EW-1 and EW-2 have decreased to less than 1 mg/L since 1998. This indicates that a more cost-effective operating regime for the system may be possible and should be evaluated, however this does not effect the protectiveness of the remedy. This has greatly reduced the risks posed by potential migration of the contaminants to the groundwater and potential direct contact to the contaminated soils.

The PRPs are in the process of securing the services of a geotechnical engineer to evaluate the stability of the earthen berm as well as to recommend the means to address erosion of the embankment area. The initial tasks being considered for the review include:

- A review of the original remedial design stability calculations, construction quality control documentation, water level and boring log data,
- Conducting optional field activities to update relevant site information; this may include a survey, the installation of piezometers, additional recovery tests, and possible soil testing, if required,
- Analyzing the landfill embankment using stability models for critical cross sections,
- Re-assessment of the embankment stability under current conditions and alternate closure scenarios (>1.5 safety factor goal, per the 1989-ROD),
- Development and implementation of measures that may be needed to maintain the longterm integrity of the cap and embankment, if appropriate.

# Question B: Are the exposure assumptions, toxicity data, cleanup levels, and remedial action objectives (RAOs) used at the time of remedy selection still valid?

There have been no changes in the physical conditions of the site that would affect the protectiveness of the remedy.

During the on-site inspection conducted on June 5, 2002, U.S. EPA and OEPA personnel noted sparse vegetation on the upper portion of the dam face. In addition, significant soil erosion was noted on the face of the dam. The erosion is most severe near EW-4. In some of the areas of erosion, the liner appeared to be visible.

It was noted during the site visit that the erosion on the face of the dam was a serious issue that would potentially undermine the stability of the Recovery Well EW-4 and ultimately the dam itself. The PRPs have indicated in a recent correspondence to the U.S. EPA and OEPA that they are in the process of securing the services of a geotechnical engineer to evaluate the stability of the earthen berm as well as to recommend the means to address erosion of the embankment area.

# Question C: Has any other information come to light that could call into question the protectiveness of the remedy?

Through the implementation of the remedy, including consolidation of the contaminated soils beneath a layer of clean soil, exposure routes have been effectively mitigated. However, during the June 5, 2002, site visit, significant soil erosion was noted on the face of the dam. The erosion is most severe near EW-4. In some of the areas of erosion, the liner appeared to be visible. There is no other information that calls into question the protectiveness of the remedy.

#### **Technical Assessment Summary**

Groundwater sampling data reveal that leachate and contaminated groundwater is not escaping capture. Some significant soil erosion was noted on the face of the dam. The erosion is most severe near EW-4. There have been no changes in the toxicity factors for the contaminants of concern that were used in the baseline risk assessment, and there have been no changes to the standardized risk assessment methodology that could affect the protectiveness of the remedy.

## VIII. Issues

#### Issues

Issues	Affects Current Protectiveness (Y/N)	Affects Future Protectiveness (Y/N)	
Optimization of the leachate and groundwater extraction system	N	N	
Review dam design stability calculations	Y	Y	

# IX. Recommendations and Follow-up Actions

**Recommendations and Follow-up Actions** 

Issue	Recommenda- tions and Follow-up Actions	Party Responsible	Oversight Agency	Milestone Date	Affects Protectiveness (Y/N)	
					Current	Future
Non-optimal ground water extraction system	Complete optimization review of extraction system	PRP	EPA	09/30/2003	N	И
Review dam design stability calculations	Hire geotechnical engineer to perform this task	PRP	EPA	09/30/2003	Y	Y
Update site info	survey, installation of piezometers	PRP	ЕРА	09/30/2003	N	N


#### X. Protectiveness Statement


The assessment of this five-year review has found the remedy to be protective of human health and the environment. Short term protectiveness has been achieved and exposures eliminated. Long-term protectiveness will be achieved when groundwater cleanup standards based on Safe Drinking Water Act MCLs, risk-based levels, and State of Ohio criteria for protection of groundwater quality are met, and by maintaining a deed restriction for the maintenance of a landfill cap to prevent unacceptable exposure.


#### XI. Next Review

The next five-year review for the E. H. Schilling Landfill is required by September 30, 2007, five years from the date of this review.

# **FIGURES**







## **TABLES**

Вĸ	Shapr TR	Marcury	Cymride, Total Lead	Chromium	Arsent TR Revellen	deta-BrC	Pyrana PasticidasePCBs (mg/L)	HARTAGETHANAMENTA HARTAGETHANAMENTA Pracci	Paorenies Paorene Indeno(1,2,3-of)pyrene	Dro-cosy principles	Observ(a,h) jurificacions Observoiusia Diservoiusia	Cartuses Chrysens	M2 Etypasylphiana	Benzola acat Benzyl stophol	Berzojtjikominere Berzojtjikominere	Berco(a)pyrone	4 Histophantsi 4 Alemylythantsi Andhracone	Nindercen  4-Otogenine	2 Methylapidadera Naphiladera	2,6-Ordinocuses	SVOCa (mg/L) 2-Matryl-L, S-Dindrophu	Toluene Xvierre (lota)	Methylana chodda Siyrena	Citoronafiuma cts-12-Distrippathere Ethylberunna	Chlorobensere	Curbon termoherida	Acatome	2-Heapters 2-Heapters 4-Methyl-2-perupons	1.2 Dichocoffiana 1.1.2 Trichiocoffiana	1.1-Dichoroshara 1.1-Dichoroshara	1.1.2.2-Terachoroma	Charitesi OCa (mark)	
7440-00-0	740-22-4	7439-97-8	57-12-5 7439-02-1	740-07-0	740-36-2 740-36-2 740-41-7	319-86-7		74-09-1 86-30-4 108-86-2 128-00-0		117-11-2 117-11-2							18-48-7 18-48-7	108-47-6			-									75-34-5		20 1	
0.0859	4	902	0.236	0 0547																							0.084					1	
0.07700			0.0175	0.0312																			0.0017									í	
0,0023	00808			0.0009																			0.0016									1]	
0,0612				0.0213	•																	1 9000 0	0 0017									ij	
0.131	0.1800	ş	ř	0.0622																		r 9006.0	91000									1	100 mm
00421																																	13
0.0381				Secto				0.000															9100.0						1000			1]	1
0.008		0.000		0.0448																												ij	1
8		0.068	0.0816	9			1,000	9.071				·		-			2					r 8200	8									ŧ į	1
è			-	8			ş	2									9				-	0.08	02 2									I	
3		0.0007	Š.	·	0,010,0	0.00034	0.01	<u> </u>									8				3		ē									ij	
	9867	900.0	0.060		ĺ		0.012	i																					0,000			1	Table of the last
-	386	2002	0.000																				00014.8								1	ij	B1-180
		0 0000	991		l								0.0016																_		1		Water Street
		90,98																								e de	į						100
0.0980		8	0.319	8																		0.0022 8				0012					1		Market Street
0.121.0		2002	0.333	9																		0,000			0,0007	0.008							Name of Street
00873			0.00%	9	+															•		8,0016 82	_		0,0000	1 6000.0					†,		W.14 W.

Zive	Server 17		Coppe Operide, Total	Cadmum		Application (Market Com.)	Para dans	Indeno(123-od)pyerna Indeno(123-od)pyerna Indeno(123-od)pyerna	Din copi primare	Charge property	Chyene Charata Hardinone	g Charles polyment	Bengis sad Bengi shaha Bag-Otomeshy)asar	Bergeljikomennen Bergeljikomennen	Authorizand Authorizana Authorizana Authorizana	A Chimarilina	Salesypheni Salesy	24-Dinestrand	Teirachisrosibura Teiture Teiture Xulgera (1946)	Andrew Chicago	Otherself are Characteris Characteristics	Bywyneithare Carbon Shullice Carbon Mountfolide Chiprobergere	A Halley & Paramore Actions	1,1,2 Textorous and	1,1-Triabbreshare 1,1-Deltecethere 1,1-Deltecethere	Lyminosta 1,1,2,2,1,1 1,1,2,2,1,1 1,1,2,2,1,1 1,1,2,2,1,1 1,1,2,2,1,1 1,1,2,2,1,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,1,2,2,1 1,2,2,2,1 1,2,	ĺ
7440-88-6	74043-0	7439-83 1 7439-67-8	740-60-6 97-12-6	740-63-6	746-35-0 746-35-0 746-35-0	75-44-0	109-85-2 129-00-0	-		19-11-2	274-01-0	10407 10407	1100	35-00-0 35-00-0 35-00-0	9 44 4 5 14 5 14 7 14 6 14 7	104-7-4 100-47-4			127-18-4 108-88-3 1380-88-7	9 3 8 1 2 2 1 2 1 1	7400	74140 74140 88-29-6 188-87	71-02		77 77 77 88 84 84 84 84 84 84 84 84 84 84 84 84		
		0.0008	i														,			1.60000			1.8000				
0.0767		0.0362																	0.0001	0.004							Wanta
0.145		0.085	0.0629																7 SM8 0	7 2000 0			F 210'E				1070
0.0569		96.08		0.000															9015	1 2900 0			1980				Date of the second
0.0036		200		0.0287			0,017												0,0008	0 00000 4			0024.5	0.0075.1			
0.0811		0.003	i	0.0156																0.0000			L 1880.0				TOTAL STATE OF THE PARTY.
0.0282	0 0436	0.0043	İ	00711															0,0029								11/10/10
-		0 0000			-																		r (2000)				11/2/10
0.651	9	000		0278																			60117				11000
00072		001#		41100			1 00000																		1		1
	0 0625	0,0093	l	o o	•														8								o I was
0 0363							8					-	Ş		8		0.0000		:		911		£ .	į		8	Tuerna Tuerna Caraca
				0.0063			0.04						9						ŝ	8						2	177
0122				0.012	0.0107		0.12								91			•		_						0.17	THE PARTY OF
0.0406	0,0437	0.024 S		8			95								• • •	-					0.04		,	CAMP?	i	Buse 0	Salahan Maran
0.164	0.0727	9,000	:	u								0.0022											0.00039				Market Ma
0.6536		0.0054																	r 10000 0	0.0001			0013				Parameter of the control of the cont

Zhc	Michael	Marcary	Cyamide, Total	Copper	Benjaum	Artimony Antimony Antimonic TR	Heplaction delta-BHC	Protection/PClin (mg/L)	There is not a	teaphorane M-Mitropoliphenylemine	Puorena Indiano(12.3-of/pyrana	Discoonly primates	Circ. busyl philinging	Dispressivan Dispressivan	Diberu(a./sjerifrecene	Contracts	bio(2-Chomisopropy)an	blag Chonery Come	Describe and	Berzeig Nijperydone	Benzo(a)pyrane	Arthenous Benzoja)arthracene	4-Mirophand 4-Mathylphanol	4-Ottorografine	Higherman	2,4-Omeryspherod 2,9-Dinbrossuers 2-Methyspherod	SYDCs (mg/L) 2-Methyl-4,6-Dintrophen	Toluene Xylame ("otal)	Shynera Tetrachioroethene	Cit-1,2-Dictioncetters Ethyberzone	Chorden.	Carton leracitorios Cabrobercana Cabrosenas	Bermomethene Carbon desaltide	Acatone	2-Heaterone	1,1,2-Trichbroetrane	1.1-Dictionalism	Trickboomings 1.1.1-Trichboomings	VOCE (mg/L) 1.1.2.2-Teltschlordenen	Chamical	•	
740-05-0	740020	1439-97-6	57-12-6	740-50-4	740-17	7440-38-0	319-85-7	129-00-0	1000 1000 1000 1000 1000 1000 1000 100	78-58-1	18,73-7	200-44-0	84.74-2	1244	25-70-2	8574-8							86.6	105-47-6-3		104-67-4 908-20-2 85-48-7				100-10-2	74-07-3	10,00	75-15-0					71-86-6		C.		-
0.027				0.0737													901	9919											9					00054								
	0.0871			0800																								0.000 J	9818	0				0077	, 1000 c					î		
0.179	0.1830	18		918																		į	3						ra 51000				0.0007	0.087							THE PERSON	4
D 0358	0 2330	0.0178	9	0014															r 1900										0.0022 8					3000				r 9000.0		i	Nava.	*
																						5	i				ŀ	~	6,67	u				8		_				Į	T STATE	2
i i								92														o gard							0 8 2 8	=										Į	TELES.	7
				0013	22100			0 1														ŝ								•										I		CHAPTER S
0.0207		0.0000						0,000																			u uuzb	i	0.0004.0		000			0.013		0.008	0.0007 _			ij	1	Series Contract
	n war	0.0007	200	0.0008	0.0152	0.14																										90021		ê						ij		_
	ì	0.008	0.0263	0.0061				r 100°0																								0.001	į	9			8	3				Section in san
0.1080		0.0222	0.0906	00106																												00015	i	Ē						ij	Marine A	SPALENS TO ME
				6 0131		İ																										, 2800 °		3			90091	:			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D4/25/0 SP-888
			0000					0.667	-								_						0 8200			1 2000			200		0 0084		0,061	C 2000 0	0.0077	9000	C 8000 9		i	H	F-1820	- A
								0.000														980			0.008		0.13		•		8		0.00			98			1	H	7	Variation Value
				00087	0.0174			0.00														7.81000							8	001			022						į	H		
			0.0166		0.010			0.0018.				9,0001 _										ŝ		0.0018 J						018.									•		2	
					9			ŝ				-																	0,042	2		ş	ŝ		Ş	į						
00	0.000		0.000																								0.0000.0			0.002			202								(17)	

Zirc	Sheer 19		Copper Cyanata, Total	Chadreturn	Animory Americ TR Benyllum			Propulations Propulations	Indeno(1,2,3-cd)pyrame Inquiroreme	Che copi primitate Pacaminana	Characters Characters professions	Orygens Dibertia/Jarinetons	maji Chiandaspropji)da maji barzji pininatao	angi asabu aga Chamadajijadar	Berzefellementhere Berzefellementhere Berzefellementhere	4-tably(phanol Arthroam Berusi(s)arthroam Berusi(s)phano	O-Microsoftes 4-Chicocoftes 4-Hecphani	2.0 Commontation 2.0 Commontation 2.0 Commontation 2.0 Commontation 2.0 Commontation	Attach (engl.)	Special Control of Con	Omerica Original 12 October	Caten design	Audiona Bermana	1.) J-Trigitions Brans 2-Bullerons	1,1,1-1 (c)	(12.5)	ĺ
740-04-0	740-02-4	1	7440-00-8 57-12-8	740-43-0	740-38-0 740-38-0 740-41-7	319-86-7	7 F	08-01-8	7 1		9 1 1	318014 85-70-4						91-40-7 91-40-7	ı.			1	7144	######################################		77.000	1111 1111
0,0368	9.1280		0.0386	0 <b>X</b>				f 61000										,			0.0013	0.000	0.036				WINTER WARREN
0.07	0.1820	0,077	0.0715	0.0846	0.0003																		0,000				
	81800	0.00071	900	0.0674																	9,0019						
9,000	0002	0.0751	906					0 0012 J																			of the
0.117	0880	0.02	01180	i				2002												9.001	agi		0.002	8			
	out o	0.0116	0.0008					3												0.0003	0001		0.0006		1,6000		
							1	ì				_				0		1 8900		-							
			_				880								•	0.048											
			96,10 9				023									0.57				=							1   1 2
9		0.007	0.0708	8	3		986				·										0039			2300.0			
	į	ů če	0.00				0.0019	,		0.000	0.000	2000 1 2000 1 1000 1 1000	LI 1200 0		0001	8			f 9000 0	f 20000 P		f 1000 p			7 MODO 0		
02120	****												0.0056 8	1 85000											0.000		
	900	8 8	000				0.0018	2,5000	0.0016	0000	2001	7 81000 7 81000	r.e 22001	0.000	2000	į	·		0.0018	1 2000		0.0000			0 0000 J	ļ	
0.0634	1,250		0.0808				0.0014.2												f 3000 è	r 8300 B		r 1988 o			0.0000		
0.000	0.0822	i	0.0418				0,0018.							0.0000					0.0000.1	0.0008		0 0014			1 2000 0		
02130		0008					0.000	0.0000		3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	68	0,0024 8	0.0022 8.7	0,8014	2001 2001 2001 2001 2001 2001 2001 2001	0.0022 1				0.0013		7 +000 o	0.0017 J	0.000	, 100000	ĺ	
2:6800	0.241	00775	00182	0,0118			0 000																			0.000	
0.000	0447	1000	0.0833																r 2000 0	1 00000		0.0000			2,000	2	MINTAL STREET

Transmiss 2004.00  Rouse 2007   t (mgd)	is (mgd.)	in (mgf.)	S (mgl.)	g (mg)	n (mgl.)	omerina (877, 177) come (877,	Omnimies 200-440 come 69-737 mori 1,3-follpyren 190-364 phorae 77-091 phorae 77-091 phorae 86-014 mori 109-892 mori 109-892	Omntriane 208-44-0 cares 69-77-1 ero(1,2,5-otgyrene 193-25-6 phocos 79-98-1 dropodghanyamana 88-20-8	omerhane 208-44-0 come 88-73-7 ano(1,2,3-cd)pyrane 183-38-5	oranthere 205-44-0 cerne 66-73-7	-tury phthalas 04-74-2	any principals 131-11-3	 Panna 218-01-9	yi barayi philhalasa 65-88-7; bazole 65-74-8;	2-Ethythasylghthalais 117-51-7 2-Chlorolaopropyljainer 108-85-1	2 Chooshylamar 111-44-4						Orientations 906-20-2 Monatorio 95-48-7	A Dimethylation (05-07-6)	1	nariomethere (27-18-4 uera (08-86-3						Bromomethane 74-83-8 Carbon disualide 75-15-0		example SST-79-6 ethyl-2-pentanone 109-10-1				1,1,2,2-Teimchorostune 79-04-6 Trichlongsteine 79-04-6	SE T					Table 1	
\$ 2000071	0.00071	0.000071	0.000071	0,000071	0,000071	0.00071	6.2100.0		0.0078						30015	FB 92000					0.028		2000			8	0.37	_		075			8			975			i		37371004	(Manual)	E.K. Sahilling La	
0.000	ì	-	¥8					r 91000	0.011			0.0011 8,4			74 2000	/e 1400 o			8	0.0012	0.03					9,047		8					0.8	į	024				1		1	Interior Page	ndilli ironion, O	
		00130	2 2		9100																5							12					=		:				ı		SELVICE SELVICE	(MAINE)	No Constanting	Constitution
	00491	9	9		000				837			•				r's 2000									0.063					000			0 0035			000			1	I		(Seried Pale)	to monetoring and Extract WM	
	00097	00422	9048									-	2			1.98000 0						 	6.000 1								0.0011		0.007				18000		Î		100 July 100	(MATON) 68-10-1	O EMPAN MANUEL	
	0.008		946									1						00001															6,015	0,002			2100.0		î	Į	# LFE	100/27/0 VP-10-10		
	_	0.1830	900													0 0002 J								1 98000 0	0 0000								0.000				0.011		1	H		100 th 100		
•	200	0.1900	ŝ									 0,00000				C 1600'0																	0.014						2	I	WOLES.	1		
	9,0445	0007	9																										•				Ĉ.						2					
1300	0.171	0.6840				1		r 1000 n	ì							0.00007 _													V. W.	9			8			0,0011	i		1		10 Care			
	0,000	-	081									 0.0000				00000													10.0	:					0.0024	0.007			í					

Znc	Silver TR	and a	Cyanto, Total	Copper	Assert 19	Manufa (mg/L)	Parallelelene/PCBs Haptachion	Physiothera Physio Physio	Indeno(1.2,5-of)(prema Boginations H-Hittocof(phany)amina	Pustering	Directory programs	District philippin	Ступать	back-Crientalographysiss back-Crientalographysiss Buryl bertyl phinalass	Benanc acid Benanc accents buck-Chlompethyljether	Beracija A. Despiere Beracija A. Despiere Beracija Dacometrone	d Marthylphenol Anthropena Barcock presentations	4-Digografina 4-Nimphanal	Nachmatere 3 Minardine Nachangene	2.9 Cinicololyana 2 Methylphenol 2 Methylphenol	2-Methyl-4, 8-Dintrophenol 2, 4-Climothylphenol	Tollumina Xydema (total)	Shrene	Chorelons Chorenseman Chorenseman ch-12-Distributestione	Carbon lyenchlonde Chlorolleruene	Become	4 Methyl 2 pentanone	1,1,2-Trichlomethare 2-Butanone	1,1-Dichlosoffere	11.2.2 Tetrachionophyse Indrincemen 11.1-1 nombrossiere		
7440-06-0	7440-02-0	7439-97-6	57.12.5	7440-47-3	740-360 740-362 740-41-7	319-65/	7	109-95-7	75-39-5 45-30-6	209-44-0	13.114	150.04.0 24.05.0					24.45 2.44.45 2.44.45	105-47-8								775	109-10-1	79-00-6	75-36-4 197-98-2	73-01-6		
00428			0015	02120										0000																0,000	1	
0.5270								82						900	1 9400 0		9,634	r 6100:0		r 2000 u	0,00	16200	000		i	8	i .		ŝ		I	1
								0.038									008				08	0.074 J	r 2000			2962					I	12
0,021	0.136	00100	ì	0217				037						0.044.	~		\$				612			823		Ę	•				I	1
								8						L 11000									0.0027.4	0 0007 J	i	1,5100			§		O S	1
1040		0.000		0.000										FB 1100 B								0.0015	7 5000 0 0000 0 0000 0 0000	9		, 2000 1, 2000 1, 2000		ä	99		ij	
0254	0.117	0.0001		0 127				19100			1 8080 0			0000									0.0000		7 50000	ş		8		0.0000.0	ij	
		000									ر 2007 ر			ra 11000								0.0014.1	f 21000		9500.0	9 009					1	
0.033	0 0067	0040		00325				f 8000 B						0,007 BJ			7 81000					13000	1 2000 0			0.01						
9007		0.013		0.0183																			1 2000	1 9000 1		0.0018					9	
0 0414				0.0108				SECO D														f 2000 h	r 8000 0	0.015	C 10000 P	60		0.0037	f 9000 h		ij	Section 19 and
0.0407		2160	2880	0.0187																			2000.0			0.0078			2002	i	ij	100 mm (100 mm)
								0 2000																0.0051		0.008	r 9000 r	0.0061	r 10000		:]	12-100 12-100 12-100 13-110 13
0.0007								0.05						1871000			0.048					r 2100		011		001	7.2100	0.082	0.011.2		ij	1-62
ŝ		0,0086						Š									0.07					0.00	91.	0.000		2.4					1	A LEGIS
		9 9					0.040.0	6									23					9	Ē=			2	2.13				ı [	200
200	_	201	0.0804					9															7 1000	2073	İ	ě	1,000	0.0000				
2		92	23140.0	•										0.007 8												0.34 8					<b>:]</b>	Control Victor

Zing TX	Ī	Marcury	Cymride, Total	Chowsian	Assent TP	a d	Total Control of the	Phanci	N-Microdylanylania	induno(1,1,1-odpyers	The same of the same of	Directory of the last	Daniel program	Chysers	Carbonal parame					Anthrophano	- Chorandra		2.5 Control or and 2.5 Control of the control of th	2-Marty-1,9-Christopin 2,4-Christopinano	Tolumn	Shows offices	Choemetare cis-1,3-Othtonetere	Chorden	Carbon daudich Carbon samotisorien Chlombergere	Acadora	2-Hammon 4-Hammon	1,2-Tigatecompre	1,1-Dictionaliana 1,1-Dictionaliana 1,1-Dictionaliana	1,1,2,3-Tomotionaetu	1	
7440-40-6	71000	7430-07-6	57.06	744047-0	740382 74047.7	740.360	123-00-0	70467	•	10.00	2044	24.74.0	H	83-70-8	#74						18474		91-07-0 91-07-0			19-49-4 19-49-4 19-49-4	100-00-0	71-00-0	7-17-0 18-03-0 18-03-0	71-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			77	•	1	
		0.012.0	2			;		181000	0.0017.			ra 1000's				C.0044 B.J									0.9013	0.0022	9,8004		0.0011	0.0000 8		0.00000		0.0002		
0.0443		ŝ	ì	0.04												78 9400.0									D.000m J	7 2000'0 7 2000'0 7 9 900'0	0.0004	1 2000 0		1 20001		8	0.0012		0	
9	0.7290	2000		1182				00000				-				0.0007 11.									r 10000 0	C.0003 B.J				0.0007.		0.0002 J		C 5000 D	î	
	00445	0,000		0.0249												Te undoo										1,8 2000 L									î	
			0.0838	0,023			82	<u>.</u>				0.0016 8				401284	0.0018			021			0000		1909	88	, ŝ	997		93		200			⊢	ĺ
	1070	1004		121		1	0,000	•								0.000	F B4000.0					-			6 600 B	1 0000 0		0018		1018		00007			2	Į
0,000	•	0.0072	0.1020	0.0007								ì				79 11000									0.0002					0013			, 10000		0	Š
							0.053													100			0 0020 .		188	8 8		0 300		000		0.087			I	ī
00112		000	9880	3			0.085						_	_		8				0.083			0.0024 J		0	8 9		1 480 0		0.006.0	8	901.			I	
0.000	-	0.0130	0.000	i			SK SK											•								=									ı	Í
							0074																			0.0018 J		ĝ		0.016.1		D.80040 J			•	i
02180	2/10		0.5450												100,000			•																	1	IVE.
	6	:	0 0278														1.9200								0.00005					0.9074.1						MINIS
0.0480	0.00	ì	0.00 0.13 0.13 0.13																				1,61060	0.0017	0,00087 _	90001				0.000			0.000 <b>6</b>	ĺ	1	MAN S
1.800	0.28	i	8 .		0,0857												r 0.0000		_							•	-					•			ij	NAME OF THE OWNER, OWNER, OWNE
0.0628	00044		0.0703						-						F1000																					
			0.0188				0.071													0.0082						ŷ.						0,000			1	Even Br
00595	00641		0000		0 0131		0,000 J								0,0013																	C 160000	00000			Mary Mary

Zinc	Shee TA	Tarana and a second		Capper	Cadmium	Assessory Th	apacono Taganoro	Particular Cha	There	* American and the second	edens(12,3-odpyrens	Total State of	Charles hims and	Constitution of the last	Clare(a))arthraces	A Comment	bergi scord big Chinoshybetes	Beracificacionina e e e e e e e e e e e e e e e e e e e	Security Committees Security Security S	Anthropera	- Characterist	- Constant	2-Marrier agriduance	2.0 Comments	New (test)	Telegohiocodhana	Etylogenere Methylera chiodos	Ostorelgen Chommelium	Chordenae Chordenae	Carbon disalide	Addings & continuous Accesses	2-Baseriera 2-Haustrona	1,1-Dightonoshura	Trichtoradions 1,1,1-Tetritoradions 1,1-Cortoradions	VOCE (MELL)	ĺ	
7440-89-6	7440-22-4	7438-47-6	57 12-6 7439-67-1	7440-47-3	740-43-0	7440,980 7440,980	11H87	w	103-85-2				1744		10	10.01	100-01-0	•	191-24-2 201-20-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-24-2 201-2 2 201-2 2 201-2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	120-12-7			34	100	180-8-7	554	7 F	7474	18-80-7 78-80-7	7	741	945:160 0:00-01	197-08-1	71-01-4	7944	, .[] '::::	
0211	90	i i		200		0.0161	İ									19 5100						•												0.00000 J			
0.0254									0.081												8						8 ×		_				0.064				
0.185		95	ì	0 0261					<u>0</u>		_					0.011 BJ																					
			0,0170	00612					0.77					_						ŧ	i			1210			ē				152						PA CATA
		0.004	9000		90106				0074																			-	ž.		00174		8				
0.0484								ś	ì											0014.		1 8200.0			0.834	1000	۸.						, E86			H	EW-1 (8486-141)
0 130		0.004						0.000																		8	-							0.012.			Chester Press
000	200	0.000.0						136								 	:			-					891	ŝ	5				į	į					Series 145
		9006	200		90101			0.634								 11000										9 0012 4		0.056			İ	8	i				Service Press
0.000		0	0.0944										_												0.000000	9.00084 J	0.0002			0.00012 J	i		0 8022	0.08071 J	-		-
0127	0,00022		01630					_								 														902					ļ		Leaved Trian
0,000	0,00022		0 007		8 Q117																														1		- Independ on the
0.0001	9		0.0040					0.0067			-					2000										1,00000		0000	0 00022 J	0.0000				8	ļ		Section VP-Sec
	0.0904		02780													8	_													12000			į	<b>1</b>	Í		
i	22	0.000	0.07																						887					0 605			0.0013		1		4 200
0.3790		0.0000	ě				1									 														0.024	9						
0.0630		00420	0124											_																0 0006					2		
								0.007																		0.0079		0016				0004	0.0091				

OR.	Macury Noted Show TR	Cyanos, Ioua	Copper	Arsenic TRI Benyflum Cadmium	Authority And name	Profitoides/PCills Heptachior optia-BHC	Prend	A-Allegacelphanylunin Phananthrane	Fluorera Indens(1.2.3-ofly)ment Registrores	Discook philatele Russanthers	Ometry principal	Onyeane Otsenzia, hjerrimscene Otsenzoturan	Cabazola	Disc? - Chiarconopropries	Benzyl alcohol bacz-Chibrosifty()after	Benzofelfworenthene Benzok acid	Berzo(u)pyrene Berzo(u)puzzenene Berzo(u)pyrene	Anthropen Anthropen Barrospanifracens	4-Nirophenol	3 November	2 Maingherol 2 Mainghaphthalone	2.4-Omerychend	Totuene Xydene (total)	Etylography Methylona chioride Slymos Telactionsethers	Chivolum Chloromethere de-1,2-Dichloroethere	Chlorobenzene Chlorostianu	Carbon daufide Carbon lebrachlonde	Acaton Bancara	2.12-Incredentation 2-Butterone 2-Heizmann	2-Dictionarhana	1-Dictionariane	1,1,2,2-Teamphicoshura Technoshura	O. C.	
(0.00,000)	7440-02-0 7440-02-0	7439-82-1	740.508	7460382 74641-7 74643-8	7440-38-0	75-44-8 319-85-7	129-00-0																	75-06-2 100-42-6 127-16-4									ç,	
0.000	0.0946		0.1840																												į	9	Î	
900	01346		0.0300	·																													out.	
080	0.0224.	0.0000					0.08											V 1	į		0.000.		0.002 1	0.014		ŝ	0.021	0001	0018	0,047	900		1	
0,066	r 00m0 n		0.0074 J				0,048											Ę		_			7 200'0 890'0	7800 08.2		ŝ		0.15	0.003	0.011			I	1
0.010.2	) octor)	0000	7 61.100				0.82											9	1				7 880 0	ដ		2003		8	9860				I	
9	0.0222.0		001107				0.60																	9		0 037		12180		0000	9	<u> </u>		
0.0249	0.00001	ž	0 107 0 107	0.0027				1 2000		7 1000													0.0002					Š.			0,000,0	i		
9,9673	0.2740	2	0.050	7.40000 7.400000 8.6000						0001 L																		SS SS					ij	
0.0067	0.900171 2	9	0.000 8810	0.00000																89			0.0000	1 50000			r 1000 t	7 1000 0 120 0				0.0001 L		
0.0528	7 980000	į	0.0000	0.0001				ê																r 8106-0	ş	3	\$10.0			8	1.6000.0		į	VOLUME CONTROL OF THE PARTY OF
0.123	0.000000		0.951	906						0.001 J											-												ij	CARREST STATES
0.0007	0.00000		O O O O O O O O O O O O O O O O O O O	900							0.019			0.001																			1	200 Lane
0.0163	0,0000	2.2000.2	9863	0.00178 J			0012															i i	9	0.51	98			9007	9				1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0,00%	0.0003	Comen	C 91100 0	7 901087 9000 b	Ī		0.024							981				612				9000	0.074	00 000 000 000 000	e e	Ē	ŝ	2	0,011			Ī	ı [	PAGE PAGE CAPPERT PAGE
00101	0027 72000 0 1220	0,000	0.00222-1	0 0072			0,1							0.000				_					0.042	ē				\$ 20 02 03 03 03	ğ				ij	Committees
9,917)	0.000.0 7.261.000.0 7.200.0	0.0178	C 66000'0	B.0108			0.016																	200	0.007				C 2000 J					Service Comments
0.014	7 880000 1 8800000	9	0.0873															,				0,0006,	00000	7 30007	0.000		2000	20E		0.0004		T	1	(1000)
0.0012	0.091.0 F 8800000	0.0237	0.112										•									1 2006.0					0.0001	0			8		ij	March Control

0.001

0007

9

8

1		10 Year Data Sum E.H. Schilling Lan	10 Year Data Summery of Detacted E.H. Schilling Landfill-tronton, Ohk	Constituent	s in Monitoring and Effluent Wells	Effluent Wells				
_	Sarrigue ()	194-48 (184047) (184047)	124-00 UVP-1881	(18-81) 88-104	42-920 (489-01) 16-994	1-82 (186/81)	CLAUSE B-ME	CANAGE CHANGE	(Second Press	- Contract
	Barryte Oats	(109/1887	1007187	1047107	10/107	16771877	18071887	16771047	1801100	
	1	I	ļ				Į	1		I
	CAS No.	Outside	0.00	Outside	Oute	ŧ	F	Į		1
ngil) Idmotionations	79-34-6									
	7401-6									_
Chrodenave	7.00	0 0037	0.0008	0.0000						
	100		2000			f 100 a				
derostians	97.972		9000				ì	i		
Chlorostrans	79-00-5				_	-	-			00013
2	75-63-0	0 0091			_			_		
O	591-76-8				_			_		0.0000
-2-persenone	108-10-1						000			_
_	67-64-1	0.12	0 0085			ŝ		2 4	200	
•	71-43-2	C 50000				8	000	200	40.04	901/
4	74-63-0									7 200.0
	75-15-0		9000			2	2	:		

7 5000 7 7 5000 7 7 5000 9

0.073

Table T

9806 0 1 2810 0 1 2810 0 1 1800 0

0.0023

0.00000

0.00124 0.00031 0.000087 0.000087 0.000087 0.000087

0.0000

0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

8

8

	98 TE	Mentury	Copper Cyanide, Total	Cadmin	Antimony Antenic TR Beryfflore	Medical (mg/L)	- Total Co.	Propod	tophorare N. Hill coordinately famile	Page 123 of press	Chrosoly philades	Duelty/ profession	Ohysens Ottenzia/jenthracens Ottenziolusin	Garbazole	bis/2-Ethydrasytypta bis/2-Chlorchoprop	Senzyl alcohol	Barzo(c)comme	Benzo(a)pyrane Benzo(b)fluorasiner	4-Mathyphanol Anthrassee Benzo(a)antimosee	Hiroberasia 4-Chlorophine 4-Minophand	Augistrature 3-Minguilles	2,4-Ometrypherod 2,6-Ometrypherod 2440/ypherod 2440/ypherod	kylene (total) SVOCe (mg/L)	Saprano Televi Homedinano	Enyberies	Charotee	Chicophan	Carbon deutlich	Acatone	2-Hengagine 4-Martin 4-2-pandanon	1,1,2-Tachbonethane	1.1-Dichoramena 1.1-Dichoramena	1.1.2.2-Teleschorositene Tradisossitene 1.1.1-Tradisossitene	Chartes		
	740-22-	7439-674	740-504 57-12-6	740434	748-38-2 748-38-2	319-05-7	744															105-87-9 808-20-2 91-49-7 91-67-6					100-00-7 75-00-1	7-16-0					7594.6 77-01-0 71-05-0		111	San Land
4,000	000	, ess	00,75	0.0	00027																					C 1000 0			0015		0001					
y dia	0000		9000	900	20002			0.01	7.00007						7.8000.0				0,000										0 0000							
ě	0.0004	0.00000	0.1170	1 0045	0.000.0			0 0001 J	8						1,0000									ğ	ì		0 007	0.000	0.0054		0.9017			l		
0.091	0.0000.0		1,000	00198	191000										r 1000																			T		deviced acres
0,000	90.90	0.000.0	1.5000.0	0.00201 J	0.0036			0085							2000	•			2017			r 2000		ş	2	0.007	880		38		8	r 1000 o		ļ		
0,0057	0.0007.1		1,45003	0.0000	0.027			000							0.001				0,000				1002				9 0 0 0		000	000	0.008			1		
9,008	0.0340	0 200087 -	00119	0 0000	9	Ī	5	0.41					1900		9,002		0,015		įįs			98	i di	9	3	i	1	•	024	Š				1		THE CASE
0.0008	0,000,0	. MODO 0	0.0000	0 00201	0.0124		1	ĝ					_											683			i		0.011.		0.004.1			1		1
0.00	00710	0.083	0.0780								r 800 o												00001		0 00000				0.000			1 9000 0		1		
0,557	0.250	o manua	0.423								0.000				_														0.0072					ì		Service Water
0.0156.0	0880		0 107				T	0003			0.000			-								1 780 0	7,0000	1,2000	9001	, 1000 o		į	0.0012					•		Secretary on the
Г			ů :	8 8	123			98			7 <b>800</b> 0								•				r 2000 s	80002		0 0 0 1 1			0.0074		0.0004			O.		SERVICE VALUE
0123	0.0800	0.15	0 178 0 6180				T	1,000		0000	100	8 <u>0</u>					i		5				1 2000 0					0.000.0	0.015			1,2000		Î		The same
083	0.0152	_	ŝ							0.000	9000										1 800 T													ı		
0.020	1 2030 0		0.0087 J					i															0.000	0.22		900	4014	0.000	0.00	9	ş	9		I	12	
0.0005	r 8000 o		0 0147 4	2000			9	i															88	2	5000	000		r 2000	0.000	0.043	.00			Į		
0.003	1.0000	1680	0.000		ŝ		0.013	0.011	6,000.0				8				0.012		i i		500		8 8 8 8	=		ŝ		998		0.000	200			I		
Q (00)7 J	0.0049.		0.0106.		001		6000	ì			0000									•				•		ŝ			9	0.000	0.007			Î	12	

740-392 740-392 740-41-7 740-504 87-12-6 740-50-1 143-97-0 740-22-4 740-22-4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7946 7746 7746 7746 7746 7746 7746 7746	
0.0777 0.00000 0.00000 0.0007 1.00000		F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000 F 90000	Management of the control of the con
0.00044 0.1900 0.1900		7 (4000) 7 (4000) 7 (4000) 7 (4000) 7 (4000)	20 mm
0.002 0.002 0.236 0.0290		00000 L 00000	
0.019 0.0027 0.478 0.6720 0.45		0 0029 0 00016 0 0027	Mary Value
0.110 0.110 0.42%			
7 tabo 0	0.000 1	7 9000 9	AND STATE OF THE S
0.0000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1000 1100 1100 1000 1000 1000 1000 100	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN THE PERSON NAMED IN THE PERSON NAMED IN
r 2300	0 000 0	0000 0000 0000 0000 0000 0000 0000 0000 0000	
7 42000 7 44000 7 84000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1, 1000 (1800)(1800 (1800 (1800 (1800 (1800 (1800 (1800 (1800 (1800 (1800 (180	
7 9800 Q	0.00	0 000 J	Section 1
0 0154 0 177 0 00000		0 0000 J 0 0000 D 0 0000 J 0 0000 J 0 0000 J	
0.0161 0.877 0.0860 0.096 J 0.0100		6900 0	
0.0004 J 0.00000 J 0.00000 J 0.00000 J	0 88	00000	
0.4340 0.4340 0.4340	20	7 (000 )	
0.098 J		i	
0.050	â	0000 00 00 00 00 00 00 00 00 00 00 00 0	
0.0002	0.002	000 000 000 000 000 000 000 000 000 00	
0,0077 J	7887 7887 7887 7887 7887 7887 7887 788	0.011 0.0110	

,	Short H	Martin	Cyanda, Total	Cappar	Carrie	Androny Androny	Medication Medication	Prend Prend Prend	H-Mirracolpturrylamine Phonoritrons	indexo(1,2,3-cd)pyrma	Representation	Di-o-burgi primaleno	Diethyl chifhalasa	Chrystere Diterz(sJr)antinscene	Busyl barrayl philhadale Carbazote	bis(2-Eitydrasyllytehalar bis(2-Chloroleograpyl)adi	Bencyl atomal	Benzo(g.)U)parylene Benzo(ji)huoteefrane Benzo(ii) auki	Berzo(a)pyrane Berzo(a)fluorarifrane	4 Methyphenol Archacete Beczolalethnome	4 Chiocardine	Nachthalter 3 Minuteline	2.4 Dinashyphanol 2.5 Dinaspousere 2.4 Mathyphanol 2.4 Mathyphanol	Kylera (total) SVOCs (mg/L) 2-Methyl-4,8-Dinteophera	Styrene Tetrachiercetheru Tobsene	City/Destane Heathylene chloride	Chioretomi Chioretomi Chioretomi Chioretomi	Carbon letractionds Chorebenzene	Bromomethave Carbon deutide	Acatone Benzene	2-Heighone 2-Heighone	1.12-Trichiometrane	1,1-Dationariume	1,1,2,2-Teinchionethans Trichionethans 1,1,1-Trichionethans	Otamicsi VOCa Ingili		
1000	7440-22-4	7440-02-0	7436-82-1	7440-50-8	746-41-7	7440 36 0 7440 38 2	319-86-7	129-00-0	85-35-8	79-09-1	200-44-0	# 74.2	***										105-67-9 808-20-2 91-57-6				74-05-3 74-07-3							79.94			
1200	ì	182160		0 0067 _				9062																		ŝ	ĝ			0011	900		907				
e de la composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della comp	ì	0	78000	100 8	ì											C 1001 7									0005					1,00001 2700			r 8000 0				
0.000	i	2000		0.0260	İ																									0.0028.5							-
				0,000				F 100 6																		9007				ĝ	0 0000						-
200	i	2	200	0.000	0.000			ĝ	r 030.0																		0.0076			7 1080			0.00003.0		l		(Other or other
	40004			0,0247 _								0.000																							ĺ		(CENTRO) S. P. BANK
990	u agu	•		0800				0025																9	i	ŝ	9	į	9 9	0012	98	9967	0 902 ,		ı		Section 1-450
0.0104	01010	i			0.0017 J			0.022								J. 1000	!							£ 2002 J	ŝ	r 450	0.016	0001		8	8100	9000	_		ı	<b>[</b> ] [2	Saratel Pass
1,61100	C 1810.0			9.0380	P 19900			0.72		001	1 1000		į	0.077				500	8 8	ŝ			988	7 1000 0.000	L 1400:0	=	0.028		. 8	007		000			1	[[12	Section Child
C 0000 J	C 9960 J				1,4800			000																	ŝ		028	0017	: 	0017		0.005			•		Water, Thus
0.0891	9.1380		9	020																				£ 10000 B					r 2000 0	0.0049 J							7
, 22MA	8		0.000	0.23	0.00			60017																7 2000 0 7 2000 0						9	1 2000 0		0.0002 J		Î		
2	0.000	£ 16900	0.0758	0.470	00005			r 2000																1 2000	0,008		0017	0,	ă			9			í		
1,0010.0	C ##10.0		0.0000	0.121																															ij		
0.157	0.0848		0.0001					0 22																1,1000	0.0983		0 200	0,048	0000		ŝ	3	8		Į	S PER SE	
0.000	00110		C01200					8								0.001								7 230 0	50 St	0.000.0	0.002 _	0.011	0.003		0.00	i			I		
			956		r 8,000		0.078	e i	0.016	0.012 0.012			. 61	:	9		9,011		S & S	2		7.800		0.000 J	85		8		90.5		9						
	Lorena		C MB0010	0614.				00										-							0.004		0,047		F 110'0		0.006						

	Sheer TR	Mean	Ē	Copper Openda, Total	Chamium	Arment Tr	Market (mg/L)		Pand	access (12,2 validation of the control of the contr	Tuesday.	Din-buly princes Din-coly princes	Obers(Lin)ershquero Oberscheue Dietrei primetes	Busi benzi pribalda Carbazola	Unit Charlespoop()	Bercyl alcohol	Berucija, ografiska Berucija, baljomytera Berucija, kapanatara	Berro(ajprene	4-Heryphend	/Sirobercarie	2-lastryphenol 2-lastrythaphthalens Naphthalens	2.4-Ohnelly(chance	Xylene (total) SYOCs (mg/L)	Symma Trainmentana	Chippenana	Choneson	Carbon telaschorida Okontheruma	Secure	4-Methyl-2-pentanona Acetore	1.1.2-Trigntorcettune 2-Businore 2-Hermone	1.1-Dichlometrene 1.1-Dichlometrene 1.2-Dichlometrene	1.1.2.2 Tatachbrostnero Ticritorophysis 1.1.1-Ticritorophysis	VOCa (mg/L)	•	•
	7440-08-4	7460-02-0	7439-62-1	7440-60-8 57-12-5	7440-43-9	740-38-2 740-41-7	319-86-7	2 2000	109-85-2	25-00-0 25-00-1 25-00-1	200-44-0	157440 04740 04740	#### #################################																				CMER		
	900	01410	1 2000 0	0.0346	0.108				C 60000														F 1000 0												1000001)
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200		0,0114.5	0.0012 J				7 000 T														r 2000's					į	0.000		1 2000				
	3	8	0.106	0.0207.		0.01			0.000	8														0.011		0.015	0.000				D		_		
4000		023	1 6360	01430	18000																		7 2000			0 0000 0		0.00000			0.0000.0	D <b>880</b>			-
2012	1 6100 0	16100		1,5110.0	000	0 0283				<del>- 12</del>																							i		(14004) 02-100
Name of				0.000	2			,	Ē															8	ŝ	8		0000		į	1		1		(MANUAL)
0.8100	į			0 0 0 0 0	0027			į	3														1 600.0	8	18	000	180	1 6000		0000	i		ı	ij	0346 (16/1/61)
0.0744	Company		8	0.0000		7000		8,011	508	76000	7 1000		90.00		9		2000 2000 2000 2000 2000 2000 2000 200	9013	Ē		ğ	200	9000 J		:	88		1.8000		8			ŧ		(Mara)
r (\$000)	F 81.63			1 8000				9963	•															0.008		9		000		8			Out	Įį	INVESTMENT
0.0407	0.0917	9000	900	7 6220 0 0020				0.0007 J																				0 0000							(en rei)
J. 1600.0	F 9039 0			1000	P 980000	1000		r 600 0															0.0002 J					0.0051						1	(sec.1.7) (sec.11)
0.483	0,730	r 95.00	į		0.0024	0.0001		r 2000						;	0001									0.0007		e gra	9			00017	f 10000		ij	and a	(tering passes
9,0739	.0500	£ 5140.0	4624	2.78		0.008 J																	0.0002	, u <b>bb</b> o				12000			7 C000 p		ij		(LEY) AD-MAN
0.0756	0.0112.1		Cartera	71160	7,7000																							r (1880 p					ij		LINTENN BY-MA
0.36	0.1540	0 0000	2000					94														2 1000	!	0,0013	0.008	000		1,000		900	0001		ij	12	
0,011,	0.0836		0.0000	ŝ	161000			0.048							7 2007							1 2000	0.001	0.14	0.007	00	300	0.014.	r #00.0	0.00			ı	11	1000
0.38	į	0.00	â	0.0001	0.0117			i i	 !		į		E#			55	E 80	, 8	į		0.000.	0,947	5		0.00	ê	Ē	0.000	ě	0.007			1	1	
1 91.00	2000	r 1400.0	0.0000	0.0100	88			0.044																	908	â		0.012.1		r 300.0			ij	1	

Table 1		10 Year Data Su	meany of Detects	10 Year Data Summary of Detected Constituents in NowNorthy and Efficient Walte	n Hostlaring and	Ellium Walls				
		E.H. Schilling La	MH-8 (ASART)	POTENTIAL PROPERTY OF	Cherce are the	WATER SKIPE	Cherry 1 has	SPERIO THE	Marie Che	ALL LAND
_		45444					1	1	1	12
Ė	, 1	î	i	i	2	1	I	Į	Į	Î
OCL INDIC	79.04-6			7						
Tetriprosture 1 1 - Tetriprostura	79-01-6 71-86-6				0.0001					
1.1-Octoberation	75.94.3		C 100810		0.0000		r 100 a	0.001 J		
1,2-Dichlorosham 1,1,2-Tathtorosham	107- <b>09-</b> 2 79-03-5		•	0.0020			2200	0.022	0013	0,000
2-Butanone 2-Hasamone	78-40-3 581-78-0							F 1600	1000	
Acatoha Acatoha	100				1000		9	200	200	
Bromomethate Carbon deutifide	76-13-0			8	-				ŝ	
Carbon winachtoride Chombenzene	58-23-5 108-80-7							0.891	881	
Characters	77-00-3 97-08-3			ŝ			ĝ	0.01	0.047	Š
Chipeymathana da-1 2-Octoborosthena	154-58-2							2001		
Etyliceszene Legitylena chloride	700414 700414			0 0000			0.004	0.00	ês.	
Shared Texastorosthere	127-18-4									
Toberne Xylene (folb)			0.0001		r 10000			0.003	0.007	
SYUCE (High) 2-Mailtyl-4, 8-Dinimphanol										
2,4-Cardenisphorono 2,4-Cardenischeme 2-Methydobanol										
2-lastyleaphtholore Vapitholore										-
Altroposites	98-86-7									
4-Minghend 4-Marytano									2	
Antirecente Benzo(a)antirecene									0018	
Bersoig Authoritere	50									
Servett acid										
ag Olomanylatin	1945	-								
Back Control provides			_							
Chrysens Charg(s.))arthresses	210-01-								ş	
Chargo primates	2.5				-					
Circulation of the control of the co	11784	0 0.								
	14									
anglescome and the second	# 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0012							
	1940 1940 1940 1940 1940 1940 1940 1940	<u> </u>		0.000.0			š	0.000	îs	ì
Appendix	7	1.8								
(April	74.00									
Americ 18	740-36-2	4 10 5		0.0026		18000		0.001	0.0134	BOTON
Chromban	740-47	0118	0.0004		=	0.0484		0.0044.5	0.0536	_
Operation, Total	9					_	-		i	u.uar J
Ē	7439-97	0.0102	_		000		ì	ì	92	
	740								ì	40000
One .	7404	0,000	9.0188	0.482	0,0441	0.000	0,0437	9,000	2	40179

.

Table 2

Comparison of Detected Constituents in Wells Inside the Landfill to USEPA Drinking Water Standards and Health Advisories

E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio

	ironton, O					
Chemical	CAS No.	Maximum Detected Concentration (mg/L)	Sample Location and Date with Maximum Detect	Screening Value (mg/L)	Screening Value Type	Is Max. Det. Conc.> Screening Value
VOCs		·				
1,1,2,2-Tetrachloroethane	79-34-5	0.53	EW-1 (11/16/93)	0.0003	Lifetime HA	YES
Trichloroethene	79-01-6	0.042	EW-3 (11/16/93)	0.005	MCL	.YES
1,1,1-Trichloroethane	71-55-6	0.012	EW-2 (6/05/96)	0.2	MCL	No
1,1-Dichloroethane	75-34-3	0.011	EW-1 (8/17/95)	1	1	NA
1,1-Dichloroethene	75-35-4			0.007	MCL	No
1,2-Dichloroethane	107-06-2	0.75	EW-1 (3/15/95)		MCL	YES
1,1,2-Trichloroethane	79-00-5			0.005	MCL	No
2-Butanone	78-93-3	1.5	EW-3 (3/15/95)		DWEL	No
2-Hexanone	591-78-6	0.008	EW-3 (4/10/01)		ł	NA NA
4-Methyl-2-pentanone	108-10-1	0.072	EW-3 (3/26/97)		i	NA NA
Acetone	67-64-1	2.2	EW-3 (8/17/95)			NA
Benzene	71-43-2	0.01	EW-1 (8/17/95)		MCL	YES
Bromomethane	74-83-9	0.045	EW-2 (5/23/95)	0.01	Lifetime HA	YES
Carbon disulfide	75-15-0	0.24	EW-1 (10/7/97)		1401	NA No
Carbon tetrachloride	56-23-5	0.000	574 0 (0(00.07)	0.005	MCL	No No
Chlorobenzene	108-90-7	0.002	EW-2 (3/26/97)	0.1	MCL	NA NA
Chloroethane	75-00-3	0.75	EW-1 (3/15/95)	0.00	MCL	YES
Chloroform	67-66-3	0.22	EW-3 (5/23/95)	0.08	Lifetime HA	YES
Chloromethane	74-87-3 156-59-2	0.15	EW-3 (9/26/94)	0.003 0.07	MCL	No No
cis-1,2-Dichloroethene		0.004	EW-2 (8/17/99)	0.07	MCL	YES
Ethylbenzene Methylene chloride	100-41-4 75-09-2	0.93	EW-3 (2/19/96) EW-2 (5/18/94)	0.005	MCL	YES
Styrene	100-42-5	0.93	E44-5 (2) 10124)	0.003	MCL	No.
Tetrachloroethene	127-18-4	0.005	EW-1 (10/7/97)	0.005	MCL	No No
Toluene	108-88-3	0.003	EW-1 (3/15/95)	1	MCL	No
Xylene (total)	1330-20-7	3.3	EW-3 (2/23/94)	10	MCL	No
SVOCs	1000 20 7	0.01	EW O (E) Ed O-7/		1	- 110
2-Methyl-4,6-Dinitrophenol	534-52-1	· ·	j		[	NA
2,4-Dimethylphenol	105-67-9	0.13	EW-3 (5/23/95)			NA
2,6-Dinitrotoluene	606-20-2	• • •	(,	0.04	DWEL	No
2-Methylphenol	95-48-7	0.0084	EW-1 (11/16/93)			NA
2-Methylnaphthalene	91-57-6	0.002	EW-3 (9/18/00)		]	NA NA
Naphthalene	91-20-3	0.0028	EW-1 (6/05/96)	0.1	Lifetime HA	No
3-Nitroaniline	88-74-4	0.002	EW-3 (4/10/01)			NA
Nitrobenzene	98-95-3	{				NA
4-Chloroaniline	106-47-8	0.0019	EW-1 (5/23/95)		İ	NA
4-Nitrophenol	100-02-7		i	0.06	Lifetime HA	No
4-Methylphenol	106-44-5	1.9	EW-3 (11/08/95)		i	NA
Anthracene	120-12-7	0.01	EW-3 (8/26/98)	10	DWEL	No
Benzo(a)anthracene	56-55-3	0.12	EW-3 (9/18/00)			NA
Benzo(a)pyrene	50-32-8	0.099*	EW-3 (9/18/00)	0.0002	MCL	YES
Benzo(b)fluoranthene	205-99-2	0.044	EW-3 (9/18/00)		1	NA
Senzo(g,h,i)perylene	191-24-2	0.038	EW-3 (9/18/00)		1	NA I
lenzo(k)fluoranthene	207-08-9	0.011	EW-3 (9/18/00)	j		NA .
Benzoic acid	65-85-0	4.5	EW-3 (8/17/95)	ľ	1	NA .
lenzyl alcohol	100-51-6	0.0046	EW-1 (5/23/95)	1	- 1	NA
s(2-Chloroethyl)ether	111-44-4	0.003	EW-3 (3/26/97)	i	1	NA
is(2-Ethylhexyl)phthalate	117-81-7	0.011	EW-2 (2/19/96)	1		NA I
is(2-Chloroisopropyl)ether	108-60-1	0.044	EW-3 (5/23/95)	0.3	Lifetime HA	No
utyl benzyl phthalate	85-68-7	0.002	EW-2 (3/15/95)	7	DWEL	No
arbazole	86-74-8	0.002	EW-3 (3/30/99)	- 1	i	NA
hrysene	218-01-9	0.16	EW-3 (9/18/00)			NA

Comparison of Detected Constituents in Wells Inside the Landfill Table 2 to USEPA Drinking Water Standards and Health Advisories E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio

Chemical	CAS No.	Maximum Detected Concentration (mg/L)	Sample Location and Date with Maximum Detect	Screening Value (mg/L)	Screening Value Type	is Max. Det. Conc.> Screening Value
Dibenz(a,h)anthracene	53-70-3	0.017	EW-3 (9/18/00)			NA
Dibenzofuran	132-64-9					NA.
Diethyl phthalate	84-66-2			30	DWEL	No
Dimethyl phthalate	131-11-3				1	NA NA
Di-n-butyl phthalate	84-74-2	0.0031	EW-3 (9/26/94)		1	NA NA
Di-n-octyl phthalate	117-84-0		'			NA NA
Fluoranthene	206-44-0	0.012	EW-3 (9/18/00)			NA
Fluorene	86-73-7	0.001	EW-3 (9/18/00)	1	DWEL	No
ndeno(1,2,3-cd)pyrene	193-39-5	0.016	EW-3 (9/18/00)			NA.
sophorone	78-59-1			0.1	Lifetime HA	No
N-Nitrosodiphenylamine	86-30-6					NA NA
Phenanthrene	85-01-8	0.023	EW-3 (9/18/00)			NA NA
Phenol	108-95-2	0.77	EW-3 (2/19/96)	4	Lifetime HA	No
Pyrene	129-00-0	0.079	EW-3 (9/18/00)			NA
Pesticides/PCBs						
Heptachlor	76-44-8	0.00034	EW-3 (2/23/94)		i	NA NA
delta-BHC	319-85-7	0.000071	EW-1 (3/15/95)			NA NA
Metals						No
Antimony	7440-36-0			0.006	MCL	
Arsenic TR	7440-38-2	0.0174			MCL	No YES
Beryllium	7440-41-7	0.0053	MW-8A (12/14/94)	0.004	MCL	YES
Cadmium	7440-43-9	0.185		0.005	MCL	YES
Chromium	7440-47-3	1.2	EW-3 (3/15/95)	0.1	MCL	
Copper	7440-50-8	1.19		1.3	Action Level	No
Cvanide, Total	57-12 <b>-</b> 5	0.017		0.2	MCL	No
Lead	7439-92-1	0.219		0.015	Action Level	YES
Mercury	7439-97-6	0.00054		0.002	MCL	No YES
Nickel	7440-02-0	0.845		0.1	Lifetime HA	
Silver TR	7440-22-4	0.0021	EW-3 (8/17/99)	0.1	Lifetime HA	No No
Zinc	7440-66-6	0.649	EW-1 (3/30/99)	2	Lifetime HA	

<sup>\*</sup> The solubility for benzo(a)pyrene is 0.0038 mg/L, therefore the concentration of 0.099 mg/L can be attributed to suspended solids in the sample.

**DWEL-Drinking Water Equivalent Level** 

Action Level- The concentration of a contaminant which, if exceeded, triggers treament or other requirements which a water system must follow

Lifetime HA (Health Advisory)- The concentration of a chemical in drinking water that is not expected to cause adverse noncarcinogenic effects for a lifetime of exposure.

Table 3

Comparison of Detected Constituents In Wells Outside the Landfill to USEPA Drinking Water Standards and Health Advisories

E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio

<u></u>	ironton, O			· · · · · · · · · · · · · · · · · · ·	<del>,</del> .	T la Nav. Bar
Chemical	CAS No.	Maximum Detected Concentration (mg/L)	Sample Location and Date with Maximum Detect	Screening Value (mg/L)	Screening Value Type	Is Max. Dei Conc.> Screening Value
VOCs					1	
1,1,2,2-Tetrachioroethane	79-34-5	0.0078	EW-4 (11/16/93)	0.0003	Lifetime HA	YES
Trichloroethene	79-01-6	0.0001	MW-4B (3/26/97)	0.005	MCL.	No
1,1,1-Trichloroethane	71-55-6	0.093	, ,	0.2	MCL	No
1.1-Dichloroethane	75-34-3	0.0086	MW-6A (9/25/96)			NA NA
1,1-Dichloroethene	75-35-4	0.0029	MW-6A (3/31/99)	0.007	MCL	No
1,2-Dichloroethane	107-06-2	0.04	MW-7B (11/9/95)	0.005	MCL	YES
1,1,2-Trichloroethane	79-00-5	0.0002	MW-5B (11/9/95)	0.005	MCL	No
2-Butanone	78-93-3	0.0093		20	DWEL	No
2-Hexanone	591-78-6	0.0011	MW-2B (8/18/99)			NA
4-Methyl-2-pentanone	108-10-1	0.0042	MW-7B (9/27/94)			NA.
Acetone	67-64-1	0.34	MW-5A (11/9/95)		}	NA NA
Benzene	71-43-2	0.0058	EW-4 (8/17/95)	0.005	MCL	YES
Bromomethane	74-83-9	0.0029	MW-3A (12/14/94)	0.01	Lifetime HA	No
Carbon disulfide	75-15-0	0.99	MW-6A (4/11/01)		1	NA NA
Carbon tetrachloride	56-23-5	0.031	MW-3A (9/27/94)	0.005	MCL	YES
Chlorobenzene	108-90-7		` '	0.1	MCL	No
Chloroethane	75-00-3	0.073	EW-4 (8/17/95)			NA NA
Chloroform	67-66-3	0.0001	MW-3A (3/31/98)	0.08	MCL	No
Chloromethane	74-87-3	0.12	EW-4 (9/26/94)	0.003	Lifetime HA	YES
cis-1,2-Dichloroethene	156-59-2		7	0.07	MCL	No
Ethylbenzene	100-41-4	2.6	MW-7B (11/9/95)	0.7	MCL	YES
Methylene chloride	75-09-2	0.064	EW-4 (9/18/00)	0.005	MCL	YES
Styrene	100-42-5	0.0022	MW-5B (11/9/95)	0.1	MCL	No
Tetrachloroethene	127-18-4	0.0009	MW-2B (8/17/95)	0.005	MCL	No
Toluene	108-88-3	0.05	MW-7B (11/9/95)	1	MCL	No
Xylene (total)	1330-20-7	0.053	EW-4 (3/15/95)	10	MCL	No
SVOCs			<del></del>			
2-Methyl-4,6-Dinitrophenol	534-52-1	0.00086	MW-5B (5/23/95)			NA.
2,4-Dimethylphenol	105-67-9	0.0042	MW-7B (9/27/94)			NA
2,6-Dinitrotoluene	606-20-2	0.004	MW-4B (8/26/98)	0.04	DWEL	No
2-Methylphenol	95-48-7	0.003	MW-7B (11/9/95)			NA
2-Methylnaphthalene	91-57-6	ļ				NA
Naphthalene	91-20-3	0.009	MW-7B (8/26/98)	0.1	Lifetime HA	No
3-Nitroaniline	88-74-4	1		j		NA
Vitrobenzene	98-95-3	0.01	MW-4B (3/26/97)			NA
I-Chloroaniline	106-47-8	į	1			NA
l-Nitrophenol	100-02-7	0.0022	MW-7B (3/15/95)	0.06	Lifetime HA	No
l-Methylphenol	106-44-5	0.21	MW-7B (11/9/95)			NA
Vnthracene	120-12-7	0.01	MW-6B (8/26/98)	10	DWEL	No
Benzo(a)anthracene	56-55-3	0.002	MW-2B (3/15/95)			NA
lenzo(a)pyrene	50-32-8	0.0016	MW-2B (3/15/95)	0.0002	MCL	YES
lenzo(b)fluoranthene	205-99-2	0.0021	MW-2B (3/15/95)	1	i	NA
enzo(g,h,i)perylene	191-24-2	0.0014	MW-7B (3/15/95)	i	i	NA
enzo(k)fluoranthene	207-08-9	0.009	MW-6B (8/26/98)	j	1	NA
enzoic acid	65-85-0	0.0091	MW-5A (5/23/95)		1	NA
enzyl alcohol	100-51-6	0.0018	MW-7B (11/9/95)			NA
ls(2-Chloroethyl)ether	111-44-4	0.0034	MW-6A (5/23/95)	1	1	NA
is(2-Ethylhexyl)phthalate	117-81-7	0.021	MW-7B (8/26/98)	i	ľ	NA
s(2-Chloroisopropyl)ether	108-60-1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.3	Lifetime HA	No
utyl benzyl phthalate	85-68-7	0.0026	MW-2B (3/15/95)	7	DWEL	No
arbazole	86-74-8	0.002	MW-2B (3/15/95)			NA NA
hrysene	218-01-9	0.0016	MW-2B (3/15/95)	i		NA NA

Comparison of Detected Constituents in Wells Outside the Landfill Table 3 to USEPA Drinking Water Standards and Health Advisories E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio

Chemical	CAS No.	Maximum Detected Concentration (mg/L)	Sample Location and Date with Maximum Detect	Screening Value (mg/L)	Screening Value Type	Is Max. Det. Conc.> Screening Value
Dibenz(a,h)anthracene	53-70-3	0.0016	MW-2B (3/15/95)			NA
Dibenzofuran	132-64-9	0.011	MW-6B (8/26/98)			NA
Diethyl phthalate	84-66-2	0.037	MW-6B (8/26/98)	30	DWEL	No
Dimethyl phthalate	131-11-3	0.01	MW-5B (3/15/95)			NA
Di-n-butyl phthalate	84-74-2	0.008	MW-2B (8/26/98)			NA NA
Di-n-octyl phthalate	117-84-0	0.008	MW-6B (8/26/98)			NA NA
Fluoranthene	206-44-0	0.009	MW-6B (8/26/98)			NA NA
Fluorene	86-73-7			1	DWEL	No
Indeno(1,2,3-cd)pyrene	193-39-5	0.0018	MW-2B (3/15/95)			NA NA
Isophorone	78-59-1	0.002	MW-2B (3/31/98)	0.1	Lifetime HA	No
N-Nitrosodiphenylamine	86-30-6	0.012	MW-4B (4/24/02)			NA NA
Phenanthrene	85-01-8	0.009	MW-6B (8/26/98)			NA NA
Phenol	108-95-2	0.12	MW-7B (11/9/95)	4	Lifetime HA	No
Pyrene	129-00-0	0.037	EW-4 (4/23/02)			NA
Pesticides/PCBs						
Heptachlor	76-44-8					NA NA
delta-BHC	319-85-7					NA NA
Metals						
Antimony	7440-36-0	0.14	MW-2B (9/27/94)	0.006	MCL	YES
Arsenic ŤR	7440-38-2	0.23	MW-6A (8/26/98)	0.05	MCL	YES
Beryllium	7440-41-7	0.051	MW-6A (8/26/98)	0.004	MCL	YES
Cadmium	7440-43-9	0.66	EW-4 (11/16/93)	0.005	MCL	YES
Chromium	7440-47-3	6.96	MW-6A (8/26/98)	0.1	MÇL	YES
Copper	7440-50-8	1.98	MW-3A (2/21/96)	1.3	Action Level	YES
Cyanide, Total	57-12-5			0.2	MCL	No
Lead	7439-92-1	1.01	MW-5B (5/23/95)	0.015	Action Level	YES
Mercury	7439-97-6	0.00066	MW-4B (12/14/94)	0.002	MCL	No
Nickel	7440-02-0	5.01	MW-6A (8/26/98)	0.1	Lifetime HA	YES
Silver TR	7440-22-4	0.0022	MW-4B (9/19/00)	0.1	Lifetime HA	No
Zinc	7440-66-6	1.89	MW-6A (8/26/98)	2	Lifetime HA	No

DWEL-Drinking Water Equivalent Level

Action Level- The concentration of a contaminant which, if exceeded, triggers treament or other requirments which a water system must follow

Lifetime HA (Health Advisory)- The concentration of a chemical in drinking water that is not expected to cause adverse noncarcinogenic effects for a lifetime of exposure.

Table 4

Comparison of Detected Total Metals Data from the April 2002 Sampling Event to Current USEPA Drinking Water Standards and Health Advisories E.H. Schilling Landfill Ironton, Ohio

Chemical	Sample ID Sample Location Sample Date Sample Type Well Type Area CAS No.	USEPA Screening Value	eening	MW-3A (4/24/02) MW-3A 4/24/2002 Investigation Monitoring Outside	MW-4B (4/24/02) MW-4B 4/24/2002 Investigation Monitoring Outside	MW-6A (4/24/02) MW-6A 4/24/2002 Investigation Monitoring Outside	MW-6B (4/24/02) MW-6B 4/24/2002 Investigation Monitoring Outside	MW-7B (4/24/02) MW-7B 4/24/2002 Investigation Monitoring Outside
Artimony Arsenic TR Beryllium Cadmium	7440-36-0 7440-38-2 7440-41-7 7440-43-9	0.006 0.05 0.004	W W W			0.0162 0.0025		0.0324 0.0016 J
Chromium Copper Cyanide, Total	7440-47-3 7440-50-8 57-12-5	_	MCL Action Level	0.0316	0.0364 0.0131 J	<b>0.165</b> 0.0519	1.61	0.0454 0.0222 J
Mercury	7439-92-1 7439-97-6	0.015	Action Level	0,0162.J		0.0533 J	· 0.0334 J	0.0126 J
Silver TR	7440-22-4	0.0 1.1	ifetime HA	0.0876	0.0459 J	0.1820	0.7450	0.0223
Vote:	7440-66-6	2	Ifetime HA	0.0668	0.0155 J	0.482	0.0481	0.083

Shaded cells indicate an exceedence of USEPA Drinking Water Criteria

Table 4

Comparison of Detected Total Metals Data from the April 2002 Sampling Event to Current USEPA Drinking Water Standards and Health Advisories E.H. Schilling Landfill

Ironton, Ohio

Chemical Metals (mod )	Sample ID Sample Location Sample Date Sample Type Well Type Area CAS No.	USEPA	USEPA Screening Value	EW-1 (4/23/02) EW-1 4/23/2002 Investigation Extraction Inside	EW-2 (4/23/02) EW-2 4/23/2002 Investigation Extraction Inside	EW-3 (423/02) EW-3 423/2002 Investigation Extraction Inside	EW-4 (4/23/02) EW-4 4/23/2002 Investigation Extraction Outside
Antimony	7440-36-0	9000	MCL				
Arsenic I K	7440-38-2	0.05	MCL			0 0134	70,0
	7440-41-7	0.004	MCL		1. 100 0	t .	40.0.0
	7440-43-9	0.005	MC				
Chromium	7440-47-3	0	MCL		0.0044	0.0536	
	7440-50-8	 5.	Action Level	0.0208		1 1000	
Cyanide, Total	57-12-5	0.5	MC				7 /900'0
	7439-92-1	0.015	Action Level			0.60	
Mercury	7439-97-6	0.002	چ پ			6.7.0	
Site To	7440-02-0		Lifetime HA	0.2000	0.0078	0.1050	70000
Silver I H	7440-22-4	0.1	Lifetime HA	7. A. A. A. A. A. A. A. A. A. A. A. A. A.			0.0234 3
ZINC Note:	7440-68-6	7	Life.ime HA	0.0537	0.0114 J	0.361	0.0173

Shaded cells indicate an exceedence of USEPA Drinking Water Criteria

Comparison of Maximum Detected Constituents in Wells Inside the Landfill to April 2002 Maximum Detected Constituents in Wells Inside the Landfill E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio Table 5

		Maximum				Maximum		
Chemical	CAS No.	Concentration (1993-2002) (mg/L)	Sample with Maximum Detect	Screening Value (ma/L)	Screening Value Type	Concentration in April 2002 (mg/L)	1s Max.   2002 (	Is Max. Det. April 2002 Conc. >
VOCs								S. A.
1,1,2,2-Tetrachloroethane	79-34-5	0.53	EW-1 (11/16/93)	0.0003	Lifetime HA	Q	Ą	
Trichloroethene	79-01-6	0.042	EW-3 (11/16/93)	0.005	Z Z	2	¥ Z	
1,2-Dichloroethane	107-06-2		EW-1 (3/15/95)	0.005	MCL	0.022	YES	4.4xMCL
Benzene	71-43-2		EW-1 (8/17/95)	0.005	MCL	9000	YES	1.2xMCL
Bromomethane	74-83-9	0.045	EW-2 (5/23/95)	0.01	Lifetime HA	Q	Ϋ́	
Chloroform	67-66-3		EW-3 (5/23/95)	0.08	MCL	QX	¥	-
Chloromethane	74-87-3	Ö	EW-3 (9/26/94)	0.003	Lifetime HA	Q	X	
Ethylbenzene	100-41-4	19	EW-3 (2/19/96)	0.7	MCL	5.3	YES	7.5xMCL
Methylene chloride	75-09-2	0.93	EW-2 (5/18/94)	0.005	KC W	0.00	YES	1.2×MCL
SVOCs								
Benzo(a)pyrene	50-32-8	*660.0	EW-3 (9/18/00)	0.0002	MCL	*1.610.	YES	
Metais								
Beryllium	7440-41-7	0.0053	MW-8A (12/14/94)	0.004	MC	.0001	2	
Cadmium	7440-43-9	0.185		0.005	MCL	ND	¥	
Chromium	7440-47-3	1.2	EW-3 (3/15/95)	0.1	MCL	0.0536	Š	
Lead	7439-92-1	0.219	EW-3 (4/23/02)	0.015	Action Level	0.219	YES	14.6xAL
Nickel	7440-02-0	0.845		0.1	Lifetime HA	0.206	YES	2.06xLHA

\* The solubility for benzo(a)pyrene is 0.0038 mg/L, therefore the concentrations of 0.099mg/L and 0.019J mg/L can be attributed to suspended solids in the samples.

Comparison of Maximum Detected Constituents in Wells Outside the Landfill to April 2002 Maximum Detected Concentrations in Wells Outside the Landfill E.H. Schilling Landfill Groundwater Data, August 1993 to April 2002 Ironton, Ohio

Chemical					_			
	CAS No.	Maximum Detected Concentration (1993-2002) (mg/L)	Sample with Meximum Detect	Screening Value (mg/L)	Screening Value Type	Maximum Detected Concentration in April 2002 (mg/L)	ls Max. 2002	Is Max. Det. April 2002 Conc. > Screening Value
VOCs								Sama Ain
1,1,2,2-Tetrachloroethane	79-34-5	0.0078	EW-4 (11/16/93)	0.0003	Lifetime HA	Q	Ą	
1,2-Dichloroethane	107-06-2		MW-7B (11/9/95)	0.005	MCL	400	Ž	
Benzene	71-43-2	Ó	EW-4 (8/17/95)	0,005	W	0001	Ž	
Carbon tetrachloride	56-23-5		MW-3A (9/27/94)	0.005	WC	S	2 2	
Chloromethane	74-87-3		EW-4 (9/26/94)	0.003	Lifetime HA	Ē	( A	
Ethylbenzene	100-41-4	2.6	MW-7B (11/9/95)	0.7	QQ.	Ş	Ž	
Methylene chloride	75-09-2	0.064	EW-4 (9/18/00)	0.005	¥	96000	ν. ΣΕΑ	1 92×MCI
SVOCs						20000	2	101101
Benzo(a)pyrene	50-32-8	0.0016	MW-2B (3/15/95)	0.0002	Ω <sub>M</sub>	S	ΔN	
Metals							5	
	7440-36-0	0.14	MW-2B (9/27/94)	9000	Ö	CZ	٧N	
~	7440-38-2	0.23	MW-6A (8/26/98)	0.05	J CW	0.0324	2 2	
3eryllium 7	7440-41-7	0.051	MW-6A (8/26/98)	200	Į į	0.005	2 2	
•	7440-43-9	0.66	EW-4 (11/16/93)	0.005		S CN	2 4	
	7440-47-3	96.9	MW-6A (8/26/98)	0	Z	- E	Z 4 2	16 1×MC
<b>.</b>	7440-50-8	96.1	MW-3A (2/21/96)	. F	Action Level	0.143	2 5	
	7439-92-1	1.01	MW-5B (5/23/95)	0.015	Action Level	0533.1	YES	3 55xAL
Nicke	7440-02-0	5.01	MW-6A (8/26/98)	0.1	Lifetime HA	0.745	YES	7.45xLHA

## Attachment 1

## Documents Reviewed

Consent Decree - July 18, 1989

Feasibility Study for the E.H. Schilling Landfill - August 1989

Record of Decision - September 1989

Leachate Treatment System Operation and Maintenance Plan - August 1993

Preliminary Close Out Report for the E.H. Schilling Landfill - August 1993

Five-Year Review, E. H. Schilling Landfill - September 1997

First Semi-Annual Groundwater Monitoring Report - June 2002

E.H. Schilling Landfill 5-Year Review - July 25, 2002

E.H. Schilling Landfill Superfund Site Five-Year Review - July 25, 2002

E.H. Schilling Landfill Superfund Site Activities - July 26, 2002

Schilling Landfill Status Report - August 8, 2002

E.H. Schilling Landfill 5-Year Review Surface Water and Seep Sampling - August 16, 2002

E.H. Schilling Landfill 5-Year Review (Deed Documents) - August 22, 2002

E.H. Schilling Landfill Superfund Site Five-year Review - August 29, 2002

## Attachment 2

		Applicable or	Applicable or Relevant and Appropriate Requirements	Its
Federal ARARs				
Authority	ARAR	Status	Requirement Synopsis	Action to be taken to Attain ARAR
RCRA	40 CFR 264.10 - 264.8 Standards for owners and operators of permitted hazardous waste facilities	Applicable	General facility requirements outline general waste analysis, security measures, inspections, and training requirements	Any facility will be constructed, fenced, posted, and operated in accordance with this requirement. Process wastes will be evaluated for the characteristics of hazardous wastes to assess further handling requirements.
RCRA	40 CFR 264.70 - 264.77 Manifesting, Record keeping and Reporting	Applicable	This regulation specifies the record keeping and reporting requirements for RCRA facilities	Any off-site disposal of hazardous waste will be properly manifested.
CAA	40 CFR 129.105, 750	Applicable	Specifies maximum primary and secondary 24-hour concentrations for particulate matter	Fugitive dust emissions from site excavations activities will be maintained below 260 ug/m3 (primary standard) by dust suppressants, if necessary.

Authority	ARAR	Status	Requirement Synopsis	Action to be taken to Attain ARAR
Protection of Archaeological Resources	32 CFR Part 229.4; 43 CFR Parts 107, 171.1 - 171.5	Applicable	These regulations develop procedures for the protection of archaeological resources.	If archaeological resources are encountered during soil excavation or treatment, work will stop until the area has been reviewed by Federal and state archaeologists.
RCRA	40 CFR 261	Applicable	Specifies the characteristics of hazardous waste (CHW)	Solid wastes generated from on-site activities must be evaluated for CHW prior to disposal or treatment.
D.O.T	49 CFR Parts 107, 171.1 - 171.5 Rules for the Transportati on of Hazardous Materials	Applicable	Outlines procedures for the packaging, labeling, manifesting, and transportation of hazardous materials	Contaminated material will be packaged, manifested, and transported to a permitted offsite facility in compliance with these regulations.
State ARARs - Note: N.	REPA refers to Ohio'	s PA451, as an	State ARARs - Note: NREPA refers to Ohio's PA451, as amended, 1994, the Natural Resources and Environmental Protection Act	nvironmental Protection Act
NREPA	Part 55	Applicable	Outlines permitting requirements to install, construct, reconstruct, relocate, or alter any process, fuelburning equipment, or control equipment which may be a source of an air contaminant.	Only substantive provisions contained in these regulations are required for on-site activities.

Authority	ARAR	Status	Requirement Synopsis	Action to be taken to Attain ARAR
NREPA	Part 55	Applicable	Outlines requirements for prohibiting emission of air contaminants of water vapors in quantities that cause, alone or in reaction with other air contaminants, either of the following: (a) Injurious effects to human health or safety, animal life, plant life of significant economic value or property; (b) Unreasonable interference with comfortable enjoyment of life and property.	Actions required by U.S. EPA to limit emissions from onsite units or activities that will adversely affect ambient air quality.
NREPA	Part 31	Relevant and Appropriate	Outlines general requirements for management of hazardous waste facilities in Ohio	During the implementation of any site activities, these requirements will be considered and followed when appropriate. Generally, they are expected to be relevant and appropriate to the same extent as the RCRA standards.
NREPA	Part 31	Relevant and Appropriate	Outlines the rules to protect the public health and welfare and to maintain the quality of groundwater in all usable aquifers for individual, public, industrial, and agricultural water supplies.	Actions required to maintain quality of the groundwater

•				
Authority	ARAR	Status	Requirement Synopsis	Action to be taken to Attain ABAB
NREPA	Part 201	Relevant and Appropriate	Presents the substantive criteria and procedures for evaluating cleanup of CERCLA type hazardous waste sites in Ohio.	The substantive criteria for establishing cleanup standards and remedial action activities at the site
NREPA	Part 303	Relevant and Appropriate	Outlines requirements for conservation of wetlands whose capacity for erosion control serves as a sedimentation area and filtering	Actions required to maintain the soil erosion control capabilities of wetlands onsite.
			basin absorbing silt and organic matter	

Comparison of Detected Constituents in Seep and Surface Water Samples to USEPA Drinking Water Standards and Health Advisorles E.H. Schilling Landfill Surface Water and Seep Data, July 2, 2002 Ironton, Ohlo

THEFT.

Chemical	CAS No	Screening	Screening Value Type		Ceen 1		Can's	Ī	- 6 000	"	1 1000		9	2 ≥	Ž.	is Max. Det. Conc.> Screening	Scre	guin
		}					<u> </u>	•	3	•	Ì			300	See		See	9
		(mg/L)			(mg/L)		(mg/L)	_	(mg/L)		(mg/L)		(Mg/L)	-	7		*	S
VOCs								l				ı				L		
	Q-45-5	0.0003	Lifetime HA	v	5000	v	0.000	v	0000	v	0.000	v	0.00	ş	ž	₹ —	ž	ž
I nchioroethene	29-01-6	9000	ر ¥و	v	0.000	v	0.0001	v	0000	v	0.0001	v	0.0001	¥	ž	ž	ž	ž
1,1,1-Trichloroethane	71-55-6	0.5	Z V	v	0.000	v	0.0001	v	10000	v	0.0001	v	0.0001	₹	ž	ž	ž	Š
1,1-Dichloroethane	75-34-3			v	0.000	v	0.0001	v	0.0001	v	0.0001	v	0.0001	ž	ž	Ž	Ž	Ž
1,1-Dichloroethene	75-35-4	0.007	MCL	٧	0.0001	v	0.000	v	0000	v	00001	v	0000	ď	Ž	Ž	Ą	Ž
1,2-Dichloroethane	107-06-2	0 005	MCL		0.0008	٧	0.0001		0000		0.0001	· •	0.0001	2	ž		Ž	Ž
1,1,2-Trichloroethane	79-00-5	0.005	MCL	v	0.0001	٧	0.0001	v	0000	·	00001	v	0.0001	₹	ź	ž	ž	ž
1,2-Dichloropropane	78-87-5	0.005	MCL	v	0.0001	v	0.0001	v	0.0001	v	0.0001	٧	0.0001	ž	ž		ž	ź
2-Butanone	78-93-3	8	DWEL	٧	0.005	v	0.002	v	0.002	v	0.002	٧	0.002	ž	ž		ž	ş
2-Hexanone	591-78-6			٧	0.00	٧	0.00	v	0.001	v	0.001	٧	0.00	ž	₹		ž	ž
4-Methyl-2-pentanone	108-10-1			٧	0.001	٧	0.001	v	000	v	0.00	٧	0.00	ž	ž		ž	≨
Acetone	67-64-1			٧	0.002	٧	0.002	v	0.002	v	0.002	٧	0.002	ž	≨		ž	ž
Benzene	71-43-2	0.005	کل ¥ک	٧	0.0001	v	0.0001	v	0.0001	v	0.0001	٧	0.0001	ž	₹		ž	ž
Bromomethane	74-83-9	10.0	Lifetime HA	٧	0.0001	v	0.0001	v	0.0001	v	0.0001	٧	0.0001	ş	ž	_	ž	ž
Bromodichloromethane	75-27-4	80.0	NC NC	٧	0.0001	٧	0.0001	٧	0.0001	v	0.0001	٧	0.0001	ş	₹		ž	ž
Bromoform	75-25-2	90.0	NC NC	٧	0.0001	v	0.0001	٧	0.0001	v	0.0001	٧	0.0001	≨	₹		ž	ž
Carbon disultide	75-15-0			٧	0.0001	٧	0.0001	v	0.0001	v	0.0001	٧	0.0001	ş	₹		ž	ž
Carbon tetrachloride	56-23-5	0.005	J N	٧	0.000	٧	0.0001	v	0.0001	v	10000	٧	0.0001	<b>≨</b>	ž		ž	ž
Chlorobenzene	108-90-7	1.0	ત્રું ¥	٧	0.0001	٧	0.0001	v	0.0001	v	0.0001	٧	0.0001	ž	<b>≨</b>	_	ž	ž
Chloroethane	75-00-3				0.0089		0.001 L	v	0.0001	٧	0.0001	٧	0.0001	ž	ž	_	<b>≨</b>	≨
Chloroform	67-66-3	90:0	MC	v	0.001	ν	0.0001	v	0.0001	٧	0.0001	٧	0.0001	₹	ž	-	ž	ž
Chloromethane	74-87-3	0.003	Lifetime HA	v	0.0001	v	0.0001	v	0.0001	٧	0.0001	٧	0.0001	ž	ž		ž	ž
Dibromochloromethane	124-48-1	90:0	MCL	٧	0.0001	v	0.000	٧	0.0001	٧	0.0001	٧	0.0001	ž	ž		ž	ž
cis-1,2-Dichloroethene	156-59-2	0.07	MCL	٧	0.0001	٧	0.0001	v	0.0001	v	0.0001	٧	0.0001	ž	ž		₹	ž
trans-1,2-dichloroethene	156-60-5	0.1	MCL	٧	0.0001	٧	0.0001	v	0.0001	v	0.0001	٧	0.0001	₹	<b>≨</b>		ž	ž
cis-1,3-Dichloropropene	10060-01-5			v	0.0001	v	0.0001	٧	0.0001	v	0.0001	٧	0.0001	≨	ž	_	ž	ž
trans-1,3-dichloropropene	10061-02-6			٧	0.0001	٧	0.0001	v	0.0001	v	0.000	v	0.0001	₹	ž	_	ž	ž
Ethylbenzene	100-41-4	0.7	MCL	٧	0.0001	٧	0.0001	٧	0.0001	v	0.0001	٧	0.0001	ž	ž	-	ž	ž
Methylene Chloride	75-09-5	0.005	ಭ		0.0029		0.0006	v	0.0002	٧	0.0002	_	0.0002	£	2		ž	ž
Styrene	100-42-5	1.0	NC WC	v	0.0001	٧	0.0001	٧	0.0001	٧	0.0001	٧	0.0001	ž	ž	_	ž	ž
l etrachloroethene	127-18-4	0.005	ل ¥را	v	0.0001	<u> </u>	0.0001	٧	0.000	٧	0.0001	٧	0.0001	ž	ž	₹	ž	ž
Toluene	108-88-3	-	آ ¥وا	v	0.0001	v	0.0001	v	0.000	٧	0.0001	v	0.0001	ž	ž	_	ž	ž
Vinyl Chloride	75-01-4	0.002	NC WC	v	0.0001	٧	0.0001	v	0.0001	٧	0.0001	v	0.0001	ž	ž	ž	ž	ž
Xylene (total)	1330-20-7	10	MCL	v	0.0001	⊻	0.0001	٧	0.0001	v	0.0001	_	0.0001	ž	ž	₹	ž	ž

Comparison of Detected Constituents in Sear

Ironton, Ohio																	
Chemical	CAS No.	Screening Value	Screening Value Type	Seep 1		Seep 2		Seep 3	‴	Seep 4	"	See0 5	9 Kle	le Max. Det. Conc.> Screening Value	Conc.>	Screen	ğ
		(mg/L)		( 0')				;				•	3	000		000	3
SVOCs				(IIII)	1	(mg/L)		(Tob)	٦	(mg/L)		(mg/L)	_	_	_		2
2-Methyl-4,6-Dinitrophenol	534-52-1			000									ž	≨	ž	<b>∮</b>	ź
2,4-Dimethylphenol	105-67-9			2000	v	0.005	<b>v</b>	0.005	v	0.002	v	0.005	ž	ş	¥	¥	ź
2,4-Dichlorophenol	120-83-2	0.02	Lifetime HA	9000	ν,	0.0006	v	0.0006	v	0.0006	v	0.0005	ş	ş	₹	≨	ş
4-Chloro-3-methylphenol	59-50-7	}			v ·	0.0005	v	9000	v	0.0006	v	0.0005	₹	ş	₹	¥	ž
2,4,6-Trichlorophenol	88-06-2	0.01	i wo	9000	v .	0.0005	v	0.000	v	9000:0	v	0.0005	¥	¥	¥	₹	₹
2,6-Dinitrotoluene	606-20-2	8	1 14	9000	v .	0.000	v	0.000	v	0.0006	v	0.0006	ž	¥	¥	¥	ž
2-Chlorophenol	95-57-8	8	lifetime HA	00000	v ·	0.0005	v	0.0006	v	0.0006	v	0.0006	ž	ş	ş	ş	≨
2-Methylphenol	95-48-7		2	986	v ·	0000	v	0.000	v	0.0006	v	0.0005	ž	ž	≨	<u></u>	¥
2,2'-oxybis(1-Chloropropane)	108-80-1			9000	۷,	0.000	v	0.0006	v	0.000	v	0.0005	ş	ž	₹	¥	₹
-Methylnaphthalene	91-57-6			00000	v	0.000	v	0.0005	v	0.000	v	0.0006	ž	ž	ź	¥	ş
2,4,5-Trichlorophenol	95-95-4			2000	٠,		v	0.0009	v	0.0006	v	90000	ž	≨	ž	ş	ž
Vaphthalene	91-20-3	0.1	Lifetime HA	9000	<u>, , , , , , , , , , , , , , , , , , , </u>	0000	v	0.0006	v	0.0006	v	9000.0	ž	¥	₹	ź	¥
1exachlorobutadiene	87-68-3	0.07	DWEL	90000	<u> </u>		ν.	0.0005	٧	0.0006	v	0.0006	ş	ž	¥	ź	ž
Mexachlorocyclopentadiene	17474	90.0	NC	0000	, ,		v ·	0.0008	٧	0.000	v	0.0006	≨	≨	≨	ş	¥
Choronaphalene	91-58-7			00000	, v	3000	۷,	2000	v ·	2000	v	0.002	≨.	ź	<u></u>	¥	₹
	88-74-4	•		0.0006	, v	0000	٧ ١	888	٧ ،		۷ ،	9000	<b>≨</b> :	¥:	≨	¥	₹
Chlomonius	88-98-3 8-98-3			0.0005	·	0000	, ,		, ,		۷ ،	900	≨ :	≨ :	≨	 ≸	¥
- Nitropheool	106-47-8			> 0.0006	· •	0.0005	, v	9000	, ,	900	<i>,</i> ,	900	<b>§</b> 2	<b>≨</b> :	≨ :	≨ :	≨ :
3-Dichlombenzene	68-75-5	90.0	Lifetime HA	c.0005	v	0.0005	·	0.0006	, v	0000	, ,	986	<u> </u>	<b>≨</b> :	<u>.</u>	<u>₹</u>	<u> </u>
4-Dichlomberrane	541-73-1	9.0	Lifetime HA	< 0.0005	٧	0.0005	v	0.0005	, v	9000	, ,	900	§ <u>\$</u>	٠	₹:	<u>₹</u>	≨ :
.2-Dichlombanzana	7.946-7	0.075	ರ¥	< 0.0005	٧	0.0005	v	0.0005		0.0005	, ,	5000	2 2	<u> </u>	<u> </u>	<u> </u>	<u> </u>
lexachloroethane	20.00	9.0	J (	0.0005	٧	0.0005	v	0.0005	v	0.0005	v	0000	ž	§ §	<u> </u>	٠ د ع	<u> </u>
4-Nitroso-di-n-propylamine	621-64.7	3	ביי ביי	0.0005	v	0.0005	٧	0.0006	v	0.0005	v	0.0005	ş	ş	ž		. ₹
-Methylphenol	106-44-5			90000	٧	0.000	v	0.0006	v	0.0005	v	0.0006	ž	¥	¥	₹	
Withracene	120-12-7	5	i i M	0000	v	0.001	v	0.001	v	0.00	v	0.00	ž	ž	¥	₹	¥
Acenapthylene	208-96-8	•	į	0.000	۷ ,	0.000	v	0.0005	v	0.0005	v	0.0005	≨	ž	ş	ş	¥
Cenapthene	83-32-9	~	I WE	2000	, .	0.000	v	0.0005	v	0.0005	v	0.0005	¥	ş	≨	ž	₹
Jimethylphthalate	131-11-3	)	-	2000	۷ ۱	0.000	v	0.000	v	0.0005	v	90000	ş	₹ Ž	¥	¥	₹
4-Dinitrophenol	51-28-5			3 5	, ·	5 6	v	0.001	v	0.00	v	0.001	ž	ž	¥	¥	¥
-Nitrophenol	100-02-7	90'0	Lifetime HA	200	٧ ،	500	v	0.01	v	0.0	v	0.01	¥	ş	¥	¥	¥
.4-Dinitrotoluene	121-14-2	0.1	i ii MC		,	900	v	0.005	v	0.005	v	900.0	ž	≨	¥	¥	₹
Menzo(a)anthracene	56-55-3		;	9000	<b>,</b>	0.000	v	0.0006	v	0.000	v	0.0006	≸	ž	₹	₹	ş
Menzo(a)pyrene	50-32-8	0.0002	Ş	9000	<b>,</b> ,	9000	v	0.0005	v	0.0006	v	0.0006	<b>≨</b>	ž	₹	ž	₹
enzo(b)fluoranthene	206-99-2	!	}	8 8	۷ ،	9000	v	0.0005	v	0.0006	v	0.0006	≨	≨	₹	₹	₹
enzo(k)fluoranthene	207-08-9			2000	v 1	900	v .	0.0005	v	0.0006	v	0.0006	₹	≨	ž	ž	₹
,3'-Uchlorobenzidine	91-94-1			3000	, <sub>\</sub>	900	v ·	900	v	0.000	v	0.0005	₹	≨	≨	ž	<u>_</u>
						2000	,	0,000		0.000	⇃	9000	≨	<b>≨</b>	_ <b>≨</b>	≨	¥

Comparison of Detected Constituents in Seep and Surface Water Samples to USEPA Drinking Water Standards and Health Advisories E.H. Schilling Landfill Surface Water and Seep Data, July 2, 2002 Ironton, Ohio

		Screening	Screening	Ĺ				L										
Chemical	CAS No.	Value	Value Type		Seep 1	_	Seep 2		Seeb 3	-	Seen 4		7 000	<b>₹</b>	ž Ž	Is Max. Det. Conc.> Screening	Scree	ğ
		,								•			,	See	See		3	Comp
: : : : : : : : : : : : : : : : : : :		(mg/L)			(mg/L)		(mg/L)	_	(mg/L)	_	(mo/L)		(mo/L)	-			•	,
Dis(2-Chloroethyl)ether	111-44-4			~	0.0005	v	0.0005	ľ	0.0005	Į,	0.000	ľ	0,0005	Ž	Ž	) 2	.	٤
bis/2-Chlometrum	117-81-7			v	0.001		0.002	v	0.001	٧	0.001	v	000	Ž	<b>5 2</b>	Ž	2 2	§ \$
1.2.4-Trichlombensene	119-111			v	0.0005	٧	0.0005	٧	9000	v	0.0005	٧	0.0006	Ź	<b>4</b>	Ž	2	Ž
Buth beand obtained	150-85-1	0.07	J N	v	0.000	v	0.0006	٧	0.0006	v	0.0005	v	0.0005	ď	2	ž	2	Ž
Carbarole	85-68-7	_	DWEL	v	0.001	v	0.001	٧	0.001	٧	0.00	v	0.001	Ž	Ž	2	2 2	2 2
Change	86-74-8			v	0.0005	v	0.0005	v	0.0006	٧	0.0005	V	0.005	Ž	2	<u> </u>	9	<u> </u>
Cilysera	218-01-9			٧	0.0005	_	0.0005	v	0000	٠,	0000		300	§ ;	§ :	§ :	<u> </u>	<u> </u>
Ulbenzoruran	132-64-9			٧	0.0006	·	0 0005	٠,	9000	, ,	3000	<u> </u>	900	<u> </u>	<b>§</b> :	≨ :	₹ :	₹ :
3-Nitroaniline	99-09-2		_		9000	_ \	9000		3 6	, .	0000	v	0.000	<u> </u>	ž	≨	¥ Ž	<b>≨</b>
4-Nitroaniline	100-01-6			<u></u>	200	<u> </u>	888	v ·	900	٧	0.000	v	0.0005	¥ Z	<b>≨</b>	₹	ž	ž
Diethyl phthalate	84-66-2	۶	i W	, ,	9		0.000	<u> </u>	900	v	0000	٧	0.0005	ž	ž	ž	ž	ž
Di-n-butyl phthalate	84.74.2	} <		<u>,                                     </u>	8.0	٧	000	v	500	v	0.00	v	0.00	≨	ž	ž	ş	ž
Di-n-octyl phthalate	117.84.0	•	7 E	v	0.00	v	0.001	v	000	v	0.001	٧	0.001	ž	ž	≨	ž	ž
4-Chlorophenyl-phenyletther	7006			v	0.00	v	0.00	v	0.00	v	0.00	٧	0.001	≨	ź	ž	ž	ž
N-Nitrosodiohenviamine	2000			v	0.0005	v	0.0005	v	0.0005	v	0.0005	٧	0.0005	≨	ž	ž	ž	Ž
4-Bromonbenk-phenylether	9 5			٧	0.00	٧	0.00	٧	0.00	٧	0.00	٧	0.001	ž	Ž	Ž	4	Ž
Hexachlorobeozene	200-101			٧	0.0005	٧	0.0005	v	0.000	٧	0.000	~	0.0005	ž	2	2	4 2	ž
Floranthene	1.8-74-1	0.001	J N	v	0.0005	v	0.0005	v	0.0006	٧	0.0005	٧	0.0005	Ž	2	2	2	. d
Flictage	206-44-0			٧	0.0005	v	0.0006	v	0.0005	٧	0.0005	_	00005	Ž	2	2 2	2 2	Ź
	86-73-7	-	OWEL	٧	0.0005	٧	0.000	٧	0000	v	9000	_	9000	<u> </u>	5	<u> </u>	§ :	2
Discerno (1,4,3-ca)pyrene	193-39-5			٧	0.0006	~	0.0006	v	0 0005	· v	0000	٠,	9000	<u> </u>	<u> </u>	§ :	<u> </u>	<u> </u>
Ulbenz(a,n)anmracene	59-70-3			V	0,0005	,	0.005	٠,	9000	, ,	300	,	900	<u> </u>	<b>\( \)</b>	≨ :	Ž:	Ž
Benzp(g,h,i)penylene	191-24-2				0000	<u>_</u>	38	, ,	3 6	,	0.000	v_	0.0005	≨.	≨	ž	¥ Z	ž
Isophorone	78-59-1	5	I ifatime HA	′ \	2000	/	0000	٧.	0000	<b>v</b>	999	<u> </u>	0.0005	≨	ž	₹	Š	¥
Pentachlorophenol	87-86-5			<u> </u>	86		0.000	v	9000	v	0.000	v	0.0006	≨	ž	ž	Š	ž
Phenanthrene	85-01-8	}		<u> </u>	300	<u>.</u>	500	v	100.0	v	0.00	v	0.001	≨	ž	ž	¥	ž
Phenol	108-95-2	4	I ifetime HA	,	880	<u>.</u>	0.000	v	0.0005	v	0.0005	<u> </u>	0.0005	ž	ž	ž	ž	ž
Pyrene	129-00-0			,	3000	v ,	0.000	v	0.0006	v	0.0006	<u> </u>	0.0006	ž	ž	ž	₹	ž
Dissolved Metals				4	2000	J	0.000	٧	6000	v	0.0006	v	0.0006	≸	ž	ž	NA	¥
Antimony	7440-36-0	9000	Ž		0000		0000							≨	≨	¥	Š	ž
Arsenic TR	7440-38-2	0.05	Z		9000	,	0.0038	<u> </u>	2000	v	0.0099	v	6600.0	ž	ž	<b>≨</b>	ž	≨
Auminum	7429-90-5	0.2	SOWB	′ \	244	<u> </u>	1 2 2	v	8 1	v	9000	v	0.0049	₹ Z	ž	ž	ž	ž
Beryllium TR	7440-41-7	0000	Ž	. \	1000	<u>,</u> ,	1000		/2 00 0	v	0.0477		0.168	₹ Z	≨ Z	YES	ž	ž
Cadmium TR	7440-43-9	0.005	2	<u></u>	2000	<u>,                                     </u>	0.000		6/00/0	v	0.0005	v	0.0005	<b>≨</b>	≨	YES	ž	ž
Chromium	7440-47-3	2	Į <u>.</u>	v .	0.0034	v	0.00094		0.0014	v	0.00094	v	0.00094	Ž	₹	ž	ž	ž
Copper	7440-50-8	· ·	MCL	v	0.002	v	0.005		0.0122 	v	0.002	٧	0.002	ž	≨	ž	ž	ž
Iron	7439.89.6	2 6		<b>,</b>	0.0020	v	0.0026		0.0228		0.00	v	0.0026	ž	ž	£	£	Š
Lead	7439-92-1	200	Action Lead	•	80.00		8.		46.5		28.6		3.43	YES	YES	YES	YES	YES
Magnesium	7439-95-4	2	Jevel Level	<u> </u>	0.0089	v	0.0089	v	0.0089	٧	0.0089	٧	6900.0	₹	ž	ž	<b>₹</b>	ž
Manganese	7430-06-5	200	0		7.5		17.2		85		14.5		23.8					
Mercury	7439.07.6	8 8	F (2)		6.27		0.223		80.4		2.91		3.14	YES		YES	YES	YES
	5	2005	ACL BCL	4	0.0000/	v	0.00007	v	0.00007	v	0.00007	v	0.00007	ž	ž	Ź	ž	ž

Comparison of Detected Constituents in Seep and Surface Water Samples E.H. Schilling Landfill Surface Water and Seep Data, July 2, 2002 to USEPA Drinking Water Standards and Health Advisories Ironton, Ohio

table,

Table   Tabl	Table   Tabl	Chemical	CAS No	Variation	Value Tone		Can 1		6000	•		•		•			Š		IS MALE. LIST, CONC.> SCREENING	
TAGO CORP   TAGO	Computer   Computer			}					Z de	,,	2	_			c deep		1	Value		
RATION COLOR         0.11         Lifetime HA         0.0193         4         0.0152         0.0166         4         0.0167         4         0.0177         4<	National Part   National Par			(mg/L)			(mg/L)		(mg/L)	=		_	Tow (	_	(Type	-	<u></u> ~	<b>,</b> ~		g .
34         7440-624         0.1         Lifetime HA         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0014         0         0.0017         0         0.0017         0	National Part   National Par	Nickel	7440-02-0	0.1	Lifetime HA		0.0119 J	L	0.0019	1	0 122		0.0155		0.0418	ş		, AE	2	٤ ع
7440-68-6         2         Lifetime HA         0.0439         < 0.0449         0.1733         0.01771         J         0.0977         C         0.0099	March   Marc	SilverTR	7440-22-4	0.1	Lifetime HA		0.0014	٧	0.0014	٧	0.0014	٧	41000	٧	4100	2		} {	2 2	2 2
T440-06-2   T440	mm         7440-022         34.2         2.18         116         819         193         116         819         116         819         116         1	Zinc	7440-66-6	8	Lifetime HA		0.0439	٧	0.0049	'	0.173	_	0.0171		0.0617	2		2	5 5	2
Marcolant   Marc	Marche   M	Sodium	7440-02-2				34.2		2.8		1		9 40		10.2	2 2	<u> </u>	2 2	2 2	2 2
Mainth   M	The contraction   T440-36-0   Cook   MCL   C   COO99	Potassium	7440-09-7				4.75		98		2.6		9 0		2 6	ž		<u> </u>	<b>5</b> 5	<b>§ §</b>
March	Table	Calcium	7440-70-2				7.07		7 07		3 2		20.5		20.00	<u> </u>		<u> </u>	<b>5</b> 5	<b>\$ \$</b>
YY         7440-386-         0.006         MCL         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         N         N         N         N         N         N         N         N         N         N         N         N	YH         7440-386-         0.006         MCL.         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.0099         < 0.009	Total Metals											3		200.2	\$ 2		≦ :	≨ :	٤
TTR 7440-38-2 0.05 WiCL < 0.0049 < 0.0049 < 0.0049 < 0.0049   NA NA NA NA NA NA NA NA NA NA NA NA NA	THE 7440-982 0.05 MiCL < 0.0009 < 0.00049 < 0.00049 < 0.00049 < 0.00049 < 0.00049   No. 1 M.A. NA NA NA NA NA NA NA NA NA NA NA NA NA	Antimony	7440-36-0	900'0	Ŏ	٧	66000	`	00000	١	0000	١	0000	١	9000	§		≨ :	§ :	<b>2</b> :
mm         7429-90-6         0.2         SDWR         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0486         < 0.0056         < 0.0056         N.D.	mm         7429-90-5         0.02         SDWR         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0477         < 0.0474         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444         < 0.0444	Arsenic TR	7440-38-2	0.05	Ž	· v	0.0049	, v	0.0049	/ v	0.003	,	0000		0000	<u> </u>	_	<u> </u>	<u> </u>	<u> </u>
TRA         7440-417         0.004         M/CL         < 0.0005         < 0.0005         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         < 0.0006         N N         <	TRADESTAGE         MCL (c) 0.0005         C 0.0005	Auminum	7429-90-5	0.2	SOWB	٧	0.0477	٧	0.047	,	96.00	,	244	,		§ §		§ §	Ş	֓֞֜֜֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֜֜֜֓֓֓֓֓֡֜֜֜֓֡֓֜֓֓֡֡֜֜֜֓֡֓֡֓֜֜֡֓֜֜֡֓֡֓֜֡֡֡֓֜֡֡֡֡֓֜֡֓֜
mTR         7440-43-9         0.005         MCL         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00094         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099         < 0.00099	mm         TRA 0-439-0.000         MCL         c         0.00094         c         0.00099         c         0.00094         c         0.00094         c         0.00094         c         0.00094         c         0.00094         c         0.00094         c         0.00099         c         0.00094         c	Beryllium TR	7440-41-7	0.004	ν	v	0.0005	· •	0,0005		8000	٧	0000		2000	2 2		2 4	2 2	<u> </u>
Main	March	Cadmium TR	7440-43-9	9000	MC.	٧	0.00094	<b>v</b>	0.00094		0.0014	V	0.00094	_	0.00094	2	_	2	Ž	ž
7440-50-8         1.3         Action Level          0.0026         0.0029          0.0029          0.0029          0.0029          0.0029          0.0029          0.0029          0.0029          0.0049	7440-50-8         1.3         Action Lavel          0.0026         0.0029<	Chromium	7440-47-3	1.0	MCL	v	0.002	٧	0.002		0.0114	· •	0.005	· •	0.002	ž		2	ž	ž
7439-89-6         0.03         SDWR         4.87         5.89         4.65         29.9         7.59         YES	139-89-9-6   0.03   0.045   0.0489   0.0099   0.0099	Copper	7440-50-8	<u>د</u> . ق	Action Level	٧	0.0026		0.0036		0.023	~	0.0026		0.0042	ž		2	Ž	2
439-92-1         0.015         Action Level          0.0089          0.0019         0.0019	438-95-1         O.015         Action Level          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0089          0.0099	<u></u>	7439-89-6	0.3	SDWR		4.97		5.89		46.5		88.8		7.59	YES		YES	YES	YES
esium         7439-95-4         O.005         SDWR         6.39         0.222         4.07         2.91         3.96         YES	## 1739 95-4   14.6   1	Lead	7439-92-1	0.015	Action Level	٧	0.0089	~	0.0089	v	0.0089	~	0.0089	٧	0.0089	ž		Ž	Ž	ž
1.00   1.00	178   178	Magnesium	7439-95-4				23.1		17.3		8	_	14.5		24	₹		ž	ź	≨
17   1439-97-6   0.002   MCL   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.00007   C 0.0004   C 0.001	11	Manganese	7439-96-5	0.05	SDWR		6.39		0.232		4.07		2.91		3.36	YES	_	YES	YES	YES
1	1	Mercury	7439-97-6	0.002	چ کا	٧	0.00007	~	0.00007	٧	0.00007	٧	0.00007	٧	0.00007	≨	_	ž	ž	₹
T440-22-4   0.1   Lifetime HA   0.0014   0.001	1440-22-4   0.1   1.ifetime HA   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0004   0.0005   0.0004   0.0005   0.0004   0.0005   0.0004   0.0005   0.00	NICKE	7440-02-0	0.1	Lifetime HA		0.0117	_	0.0029		0.121		0.015		0.0444	ž		YES	ž	ž
TA40-66 -J         2         Lifetime HA         D 00083         J         0.0103         J         0.0167         J         0.07         No	Marcology	Silver I T	7440-22-4	0.1	Lifetime HA	v	0.0014	v	0.0014	٧	0.0014	v	0.0014		0.0014	₹		ž	ž	ž
7440-02-2         34.2         2.18         11.3         8.17         19.4         NA         NA <td>7440-02-2         342         218         113         817         19.4         NA         NA</td> <td>ZIIIC Sodi::in</td> <td>7440-66-c</td> <td>8</td> <td>Lifetime HA</td> <td></td> <td>0.0083</td> <td>_</td> <td>0.0103</td> <td></td> <td>0.167</td> <td></td> <td>0.0167</td> <td></td> <td>0.07</td> <td>ž</td> <td></td> <td>2 </td> <td>Ŷ</td> <td>ž</td>	7440-02-2         342         218         113         817         19.4         NA	ZIIIC Sodi::in	7440-66-c	8	Lifetime HA		0.0083	_	0.0103		0.167		0.0167		0.07	ž		2 	Ŷ	ž
A40-09-7         46         6.96         2.42         6.21         4.83         NA	A40-09-7         46         6.96         2.42         6.21         4.83         NA	Dotassium	7440-02-2				34.2		21.8		11.3		8.17		19.4	ž	_	₹	ž	ž
Second Solids   1887-00-2   500 SDWR	Section   1440-70-2   SO SDWR	Coloim	7440-09-7				4.6		96.9		2.42		6.21		4.93	¥	_	ž	ž	ž
SEOVED SDWR         473         373         914         422         563         NA	SEGUNDA   SEGU	Other Bearing	/44U-/0-2				90.6	_	79.7		57.1		70.8		87.4	ž	_	₹ Z	₹	ž
Second Stown	Second Sulvive	Total Discolved Solids		1			į									¥	┝	₹ Ž	٧	ž
1935         259         82         6.8         9.7         No         No <t< td=""><td>  14808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-8-   15808-79-9-  </td><td>Chloride</td><td>4 600 7 00 6</td><td>96</td><td>SUVA SUVA</td><td></td><td>4/3</td><td></td><td>373</td><td></td><td>914</td><td></td><td><b>4</b>22</td><td></td><td>2<b>6</b>3</td><td>ž</td><td>_</td><td>YES</td><td>ž</td><td><u> </u></td></t<>	14808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-9-   15808-79-8-   15808-79-9-	Chloride	4 600 7 00 6	96	SUVA SUVA		4/3		373		914		<b>4</b> 22		2 <b>6</b> 3	ž	_	YES	ž	<u> </u>
14797-55-8   10 MCL	1499-19-8   159	Suffate	0-00-70001	8	HANGE		19.5		25.9		99 15		89		9.7	ž		ž	ž	ž
14797-55-8   10MCL   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4   < 0.4	7-55-8 10 MCL < 0.4 < 0.4 < 0.4 < 0.4 < 0.4 < 0.4 < 0.4   NA   NA   NA   NA   NA   NA   NA   N	Nitrate Nitraces	8-87-808-7	097	SDWH		159		75		999		219		362	ž		YES	£	Ĕ
1479748-0	1 MCL	Mitrito Misson	14/97-55-8	0	NC.	v	<b>7</b> .0	v	4.0	v	4.0	v	9.0	v	4.0	ž	_	ž	ž	ž
71-52-3 206 209 < 0.41 52.8 15.6 NA NA NA NA NA NA NA NA NA NA NA NA NA	-3 - 206 - 209 < 0.41 < 52.8 15.6 NA NA NA NA NA NA NA NA NA NA NA NA NA	Pinne Nirogen	14797-65-0	-	걸	v	4.0	v	4.0	v	4.0	v	4.0	v	4.0	ž	_	ž	ž	₹
	-92-3     < 0.41   < 0.41   < 0.41   < 0.41   < 0.41   NA NA NA NA NA NA NA NA NA NA NA NA NA	Control	71-52-3				<b>50</b> 6		508	v	0.41		52.8		15.6	₹		ž	ž	Ž
	ard exists or the parameter result is a non-detect value.	To Tenes on the	20227-92-3			⊻	0.41	┙	0.41	٧	0.41	v	0.41	v	0.41	ž	_	ž	ž	ž
	ard exists or th	THE CONTRACTOR																		
		DAME Design was a	nant Level.																	

Lifetime HA (Health Advisory)-The concentration of a chemical in drinking water that is not expected to cause adverse noncarcinogenic effects for a lifetime of exposure. Action Level- Lead and copper are regulated by a treatment technique that requires systems to control the corrosiveness of their water. If more than 10% tap water exceed the action level, water systems must take additional steps. For copper, the action level is 1.3 mg/L, and for lead is 0.015 mg/L. SCOWN-Secondary Drinking Water Regulation-non-enforceable federal guidelines regarding cosmetic effects (such as tooth or skin discoloration) or aesthetic effects (such as taste, odor, or color) of drinking water.